

WESTERN BIRDS, INDEX, VOLUME 46, 2015

Compiled by Daniel D. Gibson

- acadicus*, *Aegolius acadicus*, 129
Acanthis flammea, 25, 44, 163, 291-298
 hornemanni, 163, 225, 228, 318, 321
Accentor, Siberian, 146
Accipiter cooperii, 199
 gentilis, 109
 striatus, 109, 199
Acridotheres cristatellus, 320
Acrocephalus schoenobaenus, 141
Actitis hypoleucos, 112
 macularius, 112, 201
aculeata, *Sitta carolinensis*, 278-290
adastus, *Empidonax traillii*, 133
Aechmophorus occidentalis, 104, 196
Aegolius acadicus, 129
 funereus, 128
Aeronautes saxatalis, 202-203
Aethia cristatella, 121
 psittacula, 39, 120-121, 310-311
 pusilla, 121
 pygmaea, 121
Agelaius phoeniceus, 159, 211
Aimophila ruficeps, 209
Aix sponsa, 99, 194
alascensis, *Buteo jamaicensis*, 109-110
 Calcarius lapponicus, 42, 149
 Certhia americana, 138
 Lagopus lagopus, 103
 Troglodytes pacificus, 138
Alauda arvensis, 135
alba, *Lagopus lagopus*, 102
Albatross, Black-footed, 104
 Laysan, 104
 Salvin's, 104
 Short-tailed, 104, 302-303
albertaensis, *Larus californicus*, 123
albidus, *Accipiter gentilis*, 109
aleuticus, *Ptychoramphus aleuticus*, 120
alexandrae, *Lagopus lagopus*, 102-103
aliciae, *Catharus minimus*, 143
Alle alle, 119
alle, *Alle alle*, 119
americana, *Bucephala clangula*, 35, 101
 Fulica americana, 110
americanus, *Mergus merganser*, 102
Ammodramus savannarum, 210
amoenus, *Regulus satrapa*, 139
Amphispiza bilineata, 210
Anas acuta, 34, 99, 195
 americana, 33, 99, 195
 clypeata, 34, 99, 195
 crecca, 34, 100, 195
 cyanoptera, 99, 195
 diazi, 195
 discors, 33, 99, 195
 falcata, 99
 formosa, 100, 301
 fulvigula, 218
 penelope, 33, 99
 platyrhynchos, 33, 99, 195
 querquedula, 99, 218
 rubripes, 11, 99, 321-322
 strepera, 33, 99, 195
 zonorhyncha, 99
anatum, *Falco peregrinus*, 132
annectens, *Passerella iliaca*, 154
Anser albifrons, 32, 97
 erythropus, 97
 fabalis, 97
 serrirostris, 97
 anthonyi, *Butorides virescens*, 108
Anthus cervinus, 148-149
 gustavi, 147
 hodgsoni, 147
 rubescens, 42, 149, 208, 263
 spragueii, 22
 trivialis, 147
Antrostomus arizonae, 217
 vociferus, 129, 217
Apus apus, 130
 pacificus, 130
Aquila chrysaetos, 76-80, 110, 201
Archilochus alexandri, 203, 326-330
 colubris, 130, 222
articola, *Calidris alpina*, 116
 Eremophila alpestris, 136
 arctolegus, *Agelaius phoeniceus*, 159
Ardea alba, 107, 198
 cinerea, 107
 herodias, 107, 198
Ardeola bacchus, 108
Arenaria interpres, 37, 114
 melanocephala, 114
 arizonae, *Spizella passerina*, 153
 arra, *Uria lomvia*, 119
 artemisiae, *Molothrus ater*, 159
Artemisiospiza nevadensis, 210
Asio flammeus, 40, 128, 202

INDEX

- otus*, 68–70, 128
 Astudillo-Sánchez, Evelyn K., *see*
 Greeney, H. F.
Athene cunicularia, 202
atkhensis, *Lagopus muta*, 103
atra, *Fulca atra*, 110
atricapillus, *Accipiter gentilis*, 109
auduboni, *Setophaga coronata*, 152
 Auklet, Cassin's, 120
 Crested, 121
 Least, 121
 Parakeet, 39, 120–121, 310–311
 Rhinoceros, 121
 Whiskered, 121
Auriparus flaviceps, 206
aurocapilla, *Seiurus aurocapilla*, 150
 Avocet, American, 111, 201
Aythya affinis, 34, 100, 195
 americana, 100, 195
 collaris, 34, 100, 195
 ferina, 100
 fuligula, 100, 218–219, 301, 318
 marila, 34, 100
 valisineria, 100, 195

badia, *Prunella montanella*, 146
baileyae, *Poecile gambeli*, 137
banksi, *Setophaga petechia*, 152
barrovianus, *Larus hyperboreus*, 40,
 125
 Bartels, Matt, *see* Merrill, R. J.
Bartramia longicauda, 113
baueri, *Limosa lapponica*, 114
 Bean-Goose, Taiga, 97
 Tundra, 97
bendirei, *Loxia curvirostra*, 163
 Benedict, Lauryn, *see* Meyer, A.
beringiae, *Limosa fedoa*, 114
bewickii, *Cygnus columbianus*, 98, 280
 Bittern, American, 107
 Yellow, 107
 Blackbird, Brewer's, 159, 211
 Red-winged, 159, 211
 Rusty, 159
 Yellow-headed, 159, 211
 Bluebird, Eastern, 207
 Mountain, 143, 207, 273–275
 Western, 207
 Bluetail, Red-flanked, 142
 Bluethroat, 142
blythi, *Sylvia curruca*, 140
 Bobolink, 158–159
bochaiensis, *Luscinia cyane*, 142
Bombycilla cedrorum, 149, 208
 garrulus, 149
Bonasa umbellus, 102, 219
 Boobook, Northern, 129
 Booby, Brown, 106, 308
borealis, *Cypseloides niger*, 129
 Lanius excubitor, 134
 Somateria mollissima, 101
Botaurus lentiginosus, 107
 Botello, Alejandro, *see* Moreno-
 Contreras, I.
Brachyramphus brevirostris, 120
 marmoratus, 120
 perdix, 120, 319
brachyrhynchus, *Larus canus*, 39,
 123
 Brake, Anthony J., and McHugh,
 Yvonne E., Possible tool use by a
 Williamson's Sapsucker, 89–91
 Brambling, 159–160
 Brant, 33, 97
Branta bernicla, 33, 97
 canadensis, 98, 194
 hutchinsii, 33, 97–98, 194, 217
 Braun, Clait E., and Williams, Sartor O.
 III, History and status of the White-
 tailed Ptarmigan in New Mexico,
 233–243
brewsteri, *Empidonax traillii*, 133
 Sula leucogaster, 106
 Brooks, Tayler, *see* Mlodinow, S. G.
brooksi, *Coccothraustes vespertinus*,
 164
brunneonucha, *Leucosticte arctoa*,
 160–161
Bubo scandiacus, 128
 virginianus, 127–128, 202,
 271–272
Bubulcus ibis, 107–108, 198
Bucephala albeola, 35, 101, 195
 clangula, 35, 101
 islandica, 101
 Bufflehead, 35, 101, 195
 Bullfinch, Eurasian, 162
 Bunting, Gray, 156
 Indigo, 158, 317, 321
 Lark, 210, 321
 Lazuli, 158, 211
 Little, 156
 McKay's, 150, 320
 Painted, 24, 211, 322
 Pallas's, 156–157
 Pine, 156
 Reed, 157
 Rustic, 156

INDEX

- Snow, 150
 Yellow-breasted, 156
 Yellow-browed, 156
 Yellow-throated, 156
 Bushtit, 315
Buteo albonotatus, 14, 199–200, 220, 319
 jamaicensis, 109–110, 200
 lagopus, 36, 110
 lineatus, 309
 platypterus, 14, 309, 319
 regalis, 200–201
 swainsoni, 109, 199
Buteogallus anthracinus, 14, 199, 228–229
Butorides virescens, 108, 198

caerulescens, *Chen caerulescens*, 97
 Setophaga caerulescens, 152
cafer, *Colaptes auratus*, 131
Calamospiza melanocorys, 210, 321
Calcarius lapponicus, 42, 149
 ornatus, 315
 pictus, 150, 225
calendula, *Regulus calendula*, 139
Calidris acuminata, 115
 alba, 37, 116
 alpina, 37, 116
 bairdii, 116
 canutus, 115
 falcinellus, 115
 ferruginea, 115, 220
 fuscicollis, 118
 himantopus, 16, 115
 maritima, 116
 mauri, 38, 118, 201
 melanotos, 118, 201
 minuta, 116, 118
 minutilla, 37, 118, 201
 ptilocnemis, 37, 116
 pugnax, 115, 310
 pusilla, 118
 pygmaea, 115–116
 ruficollis, 116, 310
 subminuta, 115
 subruficollis, 118, 310
 temminckii, 115
 tenuirostris, 115
 virgata, 115
californicus, *Haemorrhous purpureus*, 162
 Larus californicus, 123
 Pelecanus occidentalis, 107
 Podiceps nigricollis, 104

Callipepla gambelii, 196
 squamata, 196
Calonectris leucomelas, 319
calurus, *Buteo jamaicensis*, 109
Calypte anna, 130
 costae, 130, 222, 314
campicola, *Geothlypis trichas*, 151
Campylorhynchus brunneicapillus, 207
canadensis, *Aquila chrysaetos*, 110
 Falci pennis canadensis, 102
 Grus canadensis, 36, 110
canorus, *Cuculus canorus*, 127
 Canvasback, 100, 195
caparoch, *Surnia ulula*, 128
 Cappello, Caroline D., *see* McNeil, S. E.
Caprimulgus indicus, 129
 Caracara, Crested, 18, 224, 320
Caracara cheriway, 18, 224, 320
Cardellina canadensis, 153
 pusilla, 42, 153, 209
 rubrifrons, 225
 Cardinal, Northern, 210, 322
Cardinalis cardinalis, 210, 322
 sinuatus, 211, 225
carlottae, *Pinicola enucleator*, 162
carolinensis, *Anas crecca*, 34, 100
 Pandion haliaetus, 108
 Sitta carolinensis, 278–290
carolinus, *Euphagus carolinus*, 159
Carpodacus erythrinus, 162
 Carter, Harry R., Parker, Michael W., Koepke, Josh S., and Whitworth, Darrell L., Breeding of the Ashy Storm-Petrel in central Mendocino County, California, 49–65
cassinii, *Haemorrhous cassinii*, 162–163
 Pyrrhula pyrrhula, 162
 Vireo cassinii, 134
 Catbird, Gray, 146
Cathartes aura, 108, 198
Catharus fuscescens, 143
 guttatus, 42, 143, 207
 minimus, 143
 ustulatus, 143, 207
Catherpes mexicanus, 206
caudacutus, *Hirundapus caudacutus*, 129
caurina, *Melospiza melodia*, 154
caurinus, *Limnodromus griseus*, 38, 118
 Turdus migratorius, 146
caurus, *Tympanuchus phasianellus*, 103
celata, *Oreothlypis celata*, 150

INDEX

- centralasiae*, *Bombycilla garrulus*, 149
Centrocercus minimus, 217
Cepphus columba, 39, 120
 grylle, 120
Cerorhinca monocerata, 121
Certhia americana, 138, 206
Chaetura pelagica, 129
 vauxi, 129
Chamaea fasciata, 320
Charadrius alexandrinus, 112
 dubius, 112
 hiaticula, 112
 mongolus, 111
 montanus, 15, 322
 morinellus, 112, 309
 semipalmatus, 36, 112
 vociferus, 112, 201
 Chat, Yellow-breasted, 209
Chen caerulescens, 97, 194, 301
 canagica, 32, 97, 228, 301
 rossii, 97, 194
 Chickadee, Black-capped, 137
 Boreal, 137–138
 Chestnut-backed, 137
 Gray-headed, 138
 Mountain, 137
 Chiffchaff, Common, 140
chilcatensis, *Passerella iliaca*, 154
Chlidonias leucopterus, 126
 niger, 126
Chloris sinica, 164
chloropus, *Gallinula chloropus*, 110
Chondestes grammacus, 153, 210
Chordeiles acutipennis, 129, 202
 minor, 129, 202
Chroicocephalus philadelphia, 122
 ridibundus, 122, 220, 311
cincinatus, *Phalacrocorax auritus*, 36, 106
Cinclus mexicanus, 139
cinnamomea, *Tringa solitaria*, 113
Circus cyaneus, 36, 109, 199
cismontanus, *Junco hyemalis*, 156
Cistothorus palustris, 139, 206–207
Clangula hyemalis, 101
Coccothraustes coccothraustes, 164
 vespertinus, 164
Coccyzus americanus, 127, 244–255
Colaptes auratus, 131–132, 203
Colibri thalassinus, 222
 Collared-Dove, Eurasian, 126, 202, 222, 312, 322
 Colón, Melanie R., Holden, Ronnisha S., Morrison, Michael L., McFarland, Tiffany M., and Mathewson, Heather A., Golden-cheeked Warbler: New maximum longevity record, 261–262
coloratus, *Calcarius lapponicus*, 149
Columba livia, 126, 202
columba, *Cepphus columba*, 39, 120
columbarius, *Falco columbarius*, 40, 132
columbianus, *Cygnus columbianus*, 33, 98
 Poecile hudsonicus, 138
Columbina inca, 202, 222
 passerina, 222, 322
 Condor, California, 228, 319
confinis, *Pooecetes gramineus*, 153
Contopus cooperi, 132, 204
 pertinax, 314
 sordidulus, 132, 204
cooperi, *Contopus cooperi*, 132
 Coot, American, 110, 201
 Eurasian, 110
Coragyps atratus, 219
 Cormorant, Brandt's, 106
 Double-crested, 36, 106, 198
 Neotropic, 12, 196–197
 Pelagic, 36, 106–107
 Red-faced, 36, 106
cornutus, *Podiceps auritus*, 104
coromandus, *Bubulcus ibis*, 108
Corvus brachyrhynchos, 135, 205
 caurinus, 135
 corax, 41, 135
 cryptoleucus, 205
couesi, *Calidris ptilocnemis*, 37, 116
 Cowbird, Bronzed, 212, 225
 Brown-headed, 159, 212
 Crane, Common, 14, 110–111
 Sandhill, 36, 110
crecca, *Anas crecca*, 34, 100
 Creeper, Brown, 138, 206
cristatus, *Lanius cristatus*, 134
 Crossbill, Red, 163, 212
 White-winged, 163
 Crow, American, 135, 205
 Northwestern, 135
 Cuckoo, Common, 127
 Oriental, 127
 Yellow-billed, 127, 244–255
Cuculus canorus, 127
 optatus, 127
 Curlew, Bristle-thighed, 114
 Eskimo, 113
 Far Eastern, 114

INDEX

- Little, 113
 Long-billed, 114, 201
curonicus, *Charadrius dubius*, 112
curtatus, *Pipilo maculatus*, 153
cyaneus, *Circus cyaneus*, 109
Cyanocitta cristata, 20
 stelleri, 135, 205
Cygnus buccinator, 11, 98
 columbianus, 33, 98, 301
 cygnus, 98–99
Cyananthus latirostris, 222–223
Cypseloides niger, 129
Cyrtonyx montezumae, 339–342
- daurica*, *Muscicapa daurica*, 141
decaocto, *Streptopelia decaocto*, 126
 DeCicco, Lucas H., *see* Hajdukovich, N. R.
deglandi, *Melanitta fusca*, 35, 101
Delichon urbicum, 137
Dendragapus fuliginosus, 103
 obscurus × *Tympanuchus phasianellus*, 351–352
Dendrocopos major, 131
Dendrocygna autumnalis, 11, 228
 bicolor, 11, 218
 Dickcissel, 24, 158, 211, 318, 321
 Dickerman, Robert W., *Haemorrhous cassinii vinifer* is valid, 66–68; Is the Long-eared Owl dimorphic?, 68–70
difficilis, *Empidonax difficilis*, 133
 Dipper, American, 139
discolor, *Setophaga discolor*, 152
dixonii, *Lagopus muta*, 103
Dolichonyx oryzivorus, 158–159
domesticus, *Passer domesticus*, 164
 Dotterel, Eurasian, 112, 309
 Dove, Common Ground-, 222, 322
 Eurasian Collared-, 126, 202, 222, 312, 322
 Inca, 202, 222
 Mourning, 127, 202
 Oriental Turtle-, 126
 White-winged, 126, 202, 312, 319, 322
 Dovekie, 119
 Dowitcher, Long-billed, 118, 201
 Short-billed, 38, 118
 Duck, American Black, 11, 99, 321–322
 Black-bellied Whistling-, 11, 228
 Eastern Spot-billed, 99
 Falcated, 99
 Fulvous Whistling-, 11, 218
 Harlequin, 11, 35, 101
 Long-tailed, 101
 Mexican, 195
 Mottled, 218
 Ring-necked, 34, 100, 195
 Ruddy, 102, 195
 Tufted, 100, 218–219, 301, 318
 Wood, 99, 194
Dumetella carolinensis, 146
 Dunlin, 37, 116
- Eagle, Bald, 36, 108
 Golden, 76–80, 110, 201
 Steller's Sea-, 108–109
 White-tailed, 108
 Egret, Cattle, 107–108, 198
 Chinese, 107
 Great, 107, 198
 Intermediate, 107
 Little, 107
 Snowy, 198
Egretta eulophotes, 107
 garzetta, 107
 thula, 198
 tricolor, 107
egretta, *Ardea alba*, 107
 Eider, Common, 101
 King, 35, 101, 302
 Spectacled, 100
 Steller's, 100
Elanus leucurus, 14, 199
elegans, *Emberiza elegans*, 156
elgasi, *Anser albifrons*, 97
Emberiza aureola, 156
 chrysophrys, 156
 elegans, 156
 leucocephalos, 156
 pallasi, 156–157
 pusilla, 156
 rustica, 156
 schoeniclus, 157
 variabilis, 156
Empidonax alnorum, 133, 314, 320
 difficilis, 133
 flaviventris, 132–133, 224, 314
 fulvifrons, 224
 hammondii, 133, 204
 minimus, 18, 133, 204
 oberholseri, 133, 204
 occidentalis, 204
 traillii, 133, 204
 virescens, 224
 wrightii, 204

INDEX

- Empidonomus varius*, 314
Eremophila alpestris, 135–136
ericrypta, *Melospiza georgiana*, 155
erythrogaster, *Hirundo rustica*,
 136–137
euborius, *Catharus guttatus*, 143
Eudocimus albus, 13
eunomus, *Turdus naumanni*, 144–145
Euphagus carolinus, 159
cyanocephalus, 159, 211
evermanni, *Lagopus muta*, 103
exilipes, *Acanthis hornemanni*, 163
- Falcipecten canadensis*, 102
Falco columbarius, 40, 132, 203
mexicanus, 203–204
peregrinus, 40, 132, 203
rusticolus, 18, 40, 132
sparverius, 132, 203
subbuteo, 132
tinnunculus, 132
 Falcon, Peregrine, 40, 132, 203
 Prairie, 203–204
fannini, *Ardea herodias*, 107
fasciatus, *Picoides dorsalis*, 131
 Faulkner, Douglas W., Colorado Bird
 Records Committee Report:
 1986–2013, 216–232
 Feenstra, Jon, Book review: *Facing
 Extinction*, 86–87
 Fenneman, Jamie, *see* Levesque, P. G.
 Fettig, Stephen M., and Hathcock,
 Charles D., Eccentric preformative
 molt in the Spotted Towhee,
 343–346
- Ficedula albicilla*, 142
narcissina, 142
 Fieldfare, 145
 Finch, Asian Rosy-, 160–161
 Black Rosy-, 218
 Cassin's, 66–68, 162–163
 Gray-crowned Rosy-, 43, 161, 218
 House, 162, 212
 Purple, 25, 162
flammea, *Acanthis flammea*, 44, 163
flammeus, *Asio flammeus*, 40, 128
flammula, *Pinicola enucleator*,
 161–162
flava, *Eremophila alpestris*, 135–136
 Flicker, Northern, 131–132, 203
 Flycatcher, Acadian, 224
 Alder, 133, 314, 320
 Ash-throated, 133, 204
 Asian Brown, 141
 Brown-crested, 224
 Buff-breasted, 224
 Cordilleran, 204
 Dark-sided, 141
 Dusky, 133, 204
 Dusky-capped, 20
 Gray, 204
 Gray-streaked, 141
 Great Crested, 20, 133
 Hammond's, 133, 204
 Least, 18, 133, 204
 Narcissus, 142
 Olive-sided, 132, 204
 Pacific-slope, 133
 Scissor-tailed, 20, 134, 315, 320
 Spotted, 141
 Sulphur-bellied, 224
 Taiga, 142
 Variegated, 314
 Vermilion, 204
 Willow, 133, 204
 Yellow-bellied, 132–133, 224, 314
- Fratercula cirrhata*, 39, 121–122
corniculata, 39, 121, 311, 319
Fregata magnificens, 106
 sp., 308
 Frigatebird, Magnificent, 106
 frigatebird (sp.), 308
Fringilla montifringilla, 159–160
frontalis, *Haemorrhous mexicanus*, 162
Fulica americana, 110, 201
atra, 110
 Fulmar, Northern, 35, 105
Fulmarus glacialis, 35, 105
fulva, *Branta canadensis*, 98
furcata, *Oceanodroma furcata*, 106
fuscatus, *Phylloscopus fuscatus*, 140
- Gadwall, 33, 99, 195
Gallinago delicata, 38, 118, 201
gallinago, 118
solitaria, 118–119
stenura, 118
gallinago, *Gallinago gallinago*, 118
Gallinula chloropus, 110
galeata, 201
 Gallinule, Common, 201
gambelii, *Zonotrichia leucophrys*, 43,
 155
gambelli, *Anser albifrons*, 97
 Garganey, 99, 218
garzetta, *Egretta garzetta*, 107
 Gatica-Colima, Ana, *see* Moreno-
 Contreras, I.

INDEX

- Gavia adamsii*, 104
arctica, 103–104, 219, 318
immer, 35, 104
pacifica, 104
stellata, 11, 103
- Geococcyx californianus*, 202
- Geothlypis philadelphia*, 151, 316
tolmiei, 151, 208
trichas, 151, 208
- Gibson, Daniel D., and Withrow, Jack J., Inventory of the species and subspecies of Alaska birds, second edition, 94–185
- glacialis*, *Picoides pubescens*, 131
- Glareola maldivarum*, 119
- Glaucidium gnoma*, 128
- glaucoides*, *Larus glaucoides*, 123
- Gnatcatcher, Black-tailed, 207
Blue-gray, 207, 315
- Godwit, Bar-tailed, 71–75, 114, 310, 319, 322
Black-tailed, 114
Hudsonian, 16, 114, 309–310, 319
Marbled, 114
- Goldeneye, Barrow's, 101
Common, 35, 101
- Golden-Plover, American, 15, 111
European, 111
Pacific, 36, 111
- Goldfinch, American, 163, 212
Lawrence's, 228
Lesser, 212
- Gómez de Silva, H., *see* Moreno-Contreras, I.
- Goose, Cackling, 33, 97–98, 194, 217
Canada, 98, 194
Emperor, 32, 97, 228, 301
Greater White-fronted, 32, 97
Lesser White-fronted, 97
Ross's, 97, 194
Snow, 97, 194, 301
Taiga Bean-, 97
Tundra Bean-, 97
- Goshawk, Northern, 109
- gracilis*, *Melospiza lincolni*, 155
- Grackle, Common, 24, 159, 318
Great-tailed, 211, 318
- gracillii*, *Larus fuscus*, 125
- Grasshopper-Warbler, Middendorff's, 141
- Grebe, Eared, 104, 196
Horned, 104
Pied-billed, 104, 196
Red-necked, 104
Western, 104, 196
- grebnitskii*, *Carpodacus erythrinus*, 162
- Greeney, Harold F., Hamilton, Chris E., Astudillo-Sánchez, Evelyn K., Wethington, Susan M., Hough, Eric R., Ripplinger, Christina M., and Schmidt, Krista K., Nest-site selection of the Black-chinned Hummingbird in southeast Arizona, 326–330
- Greenfinch, Oriental, 164
- Greenshank, Common, 113
- grinnelli*, *Glaucidium gnoma*, 128
Regulus calendula, 139
- griseonucha*, *Leucosticte tephrocotis*, 43, 161
- Grosbeak, Black-headed, 158, 211
Blue, 158, 211
Evening, 164
Pine, 161–162
Rose-breasted, 158, 211, 317–318
- Ground-Dove, Common, 222, 322
- Grouse, Dusky × Sharp-tailed, 351–352
Gunnison Sage-, 217
Ruffed, 102, 219
Sharp-tailed, 103
Sharp-tailed × Dusky, 351–352
Sooty, 103
Spruce, 102
- Grus canadensis*, 36, 110
grus, 14–15, 110–111
- Grzybowski, Joseph A., *see* Long, A. M.
- Guillemot, Black, 120
Pigeon, 39, 120
- Gull, Black-headed, 122, 220, 311
Black-tailed, 122–123, 311
Bonaparte's, 122
California, 123
Franklin's, 122
Glaucous, 16, 40, 125
Glaucous-winged, 39, 125
Great Black-backed, 125
Heermann's, 123
Herring, 39, 123
Iceland, 123, 125, 220, 311
Ivory, 122, 311
Kelp, 220–221
Laughing, 122, 311
Lesser Black-backed, 125, 311, 322
Little, 122
Mew, 16, 39, 123
Ring-billed, 123, 202
Ross's, 122

INDEX

- Sabine's, 122
 Slaty-backed, 16, 125, 220, 311
 Western, 123, 220
guttatus, *Catharus guttatus*, 42, 143
gutturialis, *Hirundo rustica*, 137
Gymnogyps californianus, 228, 319
 Gyrfalcon, 18, 40, 132
- Haematopus bachmani*, 36, 111
ostralegus, 111
Haemorhous cassinii, 66–68,
 162–163
mexicanus, 162, 212
purpureus, 25, 162
 Hajdukovich, Nicholas R., DeCicco,
 Lucas H., and Tomkovich, Pavel S.,
 Western North American records of
 Eurasian Bar-tailed Godwits, 71–75
Haliaeetus albicilla, 108
leucocephalus, 36, 108
pelagicus, 108–109
 Hamilton, Chris E., *see* Greeney, H. F.
harlani, *Buteo jamaicensis*, 109
 Harrier, Northern, 36, 109, 199
 Hathcock, Charles, D., *see* Fettig, S. M.
 Hawfinch, 164
 Hawk, Broad-winged, 14, 309, 319
 Common Black, 14, 199, 228–229
 Cooper's, 199
 Ferruginous, 200–201
 Harris's, 199, 220, 319
 Red-shouldered, 309
 Red-tailed, 109–110, 200
 Rough-legged, 36, 110
 Sharp-shinned, 109, 199
 Swainson's, 109, 199
 Zone-tailed, 14, 199–200, 220, 319
helleri, *Troglodytes pacificus*, 138
Helmitheros vermivorum, 320
 Heron, Black-crowned Night-, 108, 198
 Chinese Pond-, 108
 Gray, 107
 Great Blue, 107, 198
 Green, 108, 198
 Tricolored, 107
 Yellow-crowned Night-, 13
hesperis, *Corvus brachyrhynchos*, 135
heuglini, *Larus fuscus*, 125
Himantopus himantopus, 111
mexicanus, 201
himantopus, *Himantopus*
himantopus, 111
Hirundapus caudacutus, 129
Hirundo rustica, 136–137, 206
Histrionicus histrionicus, 11, 35, 101
hoactli, *Nycticorax nycticorax*, 108
 Hobby, Eurasian, 132
holboellii, *Podiceps grisegena*, 104
 Holden, Ronnisha S., *see* Colón, M. R.
 Hoopoe, Eurasian, 130
hooveri, *Setophaga coronata*, 42, 152
hornemanni, *Acanthis hornemanni*,
 163
 Hough, Eric R., *see* Greeney, H. F.
 House-Martin, Common, 137
hudsonicus, *Numenius phaeopus*, 37,
 114
Poecile hudsonicus, 137–138
hudsonius, *Circus cyaneus*, 36, 109
 Hummingbird, Allen's, 17, 319
 Anna's, 130
 Black-chinned, 203, 326–330
 Broad-billed, 222–223
 Broad-tailed, 203
 Costa's, 130, 222, 314
 Ruby-throated, 130, 222
 Rufous, 130, 203
 White-eared, 223
Hydrocoloeus minutus, 122
Hydroprogne caspia, 125–126
hyemalis, *Junco hyemalis*, 155
Hylocharis leucotis, 223
Hyalocichla mustelina, 143
- Ibis, Glossy, 219
 White, 13
 White-faced, 198, 308–309
ibis, *Bubulcus ibis*, 107
Icteria virens, 209
Icterus bullockii, 159, 212
cucullatus, 227
galbula, 218, 321
parisorum, 212
pustulatus, 227
spurius, 159, 318
Ictinia mississippiensis, 199
iliaca/zaboria, *Passerella iliaca*, 317
iliacus, *Turdus iliacus*, 145
incanus, *Catharus ustulatus*, 143
inornata, *Tringa semipalmata*, 113
Uria aalge, 38, 119
insignis, *Melospiza melodia*, 154
insularis, *Passerella iliaca*, 43, 154
interfusa, *Passerina caerulea*, 158
intermedia, *Mesophoyx intermedia*,
 107
interpres, *Arenaria interpres*, 37, 114
interstinctus, *Falco tinnunculus*, 132

INDEX

- isleibi*, *Falcipectes canadensis*, 102
Ixobrychus sinensis, 107
Ixoreus naevius, 42, 146
- Jaeger, Long-tailed, 16, 38, 119
 Parasitic, 16, 38, 119
 Pomarine, 119
- japonica*, *Gallinago solitaria*, 118–119
 Ninox japonica, 129
- japonicus*, *Anthus rubescens*, 149
 Coccothraustes coccothraustes, 164
 Otus sunia, 127
- Jay, Blue, 20
 Gray, 135
 Steller's, 135, 205
- jotaka*, *Caprimulgus indicus*, 129
- jouyi*, *Ardea cinerea*, 107
- Junco, Dark-eyed, 155–156, 210
Junco hyemalis, 155–156, 210
Jynx torquilla, 130
- kaiurka*, *Cephus columba*, 120
- kamtschaticus*, *Corvus corax*, 41, 135
 Dendrocopos major, 131
- kamtschatkensis*, *Buteo lagopus*, 110
 Pinicola enucleator, 162
- kamtschatschensis*, *Larus canus*, 123
- kawahariba*, *Chloris sinica*, 164
- kenaiensis*, *Melospiza melodia*, 154
- Kennedy, Jeremiah, *see* Levesque, P. G.
- kennicottii*, *Megascops kennicottii*, 127
- Kestrel, American, 132, 203
 Eurasian, 132
- Killdeer, 112, 201
- Kingbird, Cassin's, 204
 Eastern, 134
 Thick-billed, 224
 Tropical, 133, 314
 Tropical/Couch's, 314–315, 320
 Western, 133–134, 204
- Kingfisher, Belted, 130, 203
- Kinglet, Golden-crowned, 139
 Ruby-crowned, 139, 207
- Kiskadee, Great, 224
- kiskensis*, *Troglodytes pacificus*, 138
- Kite, Mississippi, 199
 White-tailed, 14, 199
- Kittiwake, Black-legged, 16, 39, 122
 Red-legged, 16, 39, 122
- Knot, Great, 115
 Red, 115
- Koepke, Josh S., *see* Carter, H. R.
- kumlieni*, *Larus glaucoides*, 123
lagophonus, *Bubo virginianus*, 127–128
lagopodum, *Delichon urbicum*, 137
Lagopus lagopus, 102–103
 leucura, 103, 233–243
 muta, 103
- laingi*, *Accipiter gentilis*, 109
- Lanius cristatus*, 134
 excubitor, 134
 ludovicianus, 204
- Lapwing, Northern, 111
- Lark, Horned, 135–136
 Sky, 135
- Larus argentatus*, 39, 123
 californicus, 123
 canus, 16, 39, 123
 crassirostris, 122–123, 311
 delawarensis, 123, 202
 dominicanus, 220–221
 fuscus, 125, 311, 322
 glaucescens, 39, 125
 glaucoides, 123, 125, 220, 311
 heermanni, 123
 hyperboreus, 16, 40, 125
 marinus, 125
 occidentalis, 123, 220
 schistisagus, 16, 125, 220, 311
 lathamii, *Poecile cinctus*, 138
 latifascia, *Emberiza rustica*, 156
 leucocephalos, *Emberiza leucocephalos*, 156
 leucopareia, *Branta hutchinsii*, 33, 97–98
 Leucophaeus atricilla, 122, 311
 pipixcan, 122
 leucophrys, *Zonotrichia leucophrys*, 155
 leucoptera, *Loxia leucoptera*, 163
 leucorhoa, *Oceanodroma leucorhoa*, 106
 Leucosticte arctoa, 160–161
 atrata, 218
 tephrocotis, 43, 161, 218
 leucura, *Pinicola enucleator*, 161
 Leukering, Tony, *see* Mlodinow, S. G.
- Levesque, Paul G., Fenneman, Jamie, and Kennedy, Jeremiah, First occurrence of the Cave Swallow in British Columbia, 264–266
- lilfordi*, *Grus grus*, 110–111
limicola, *Rallus limicola*, 110
Limnodromus griseus, 38, 118
 scolopaceus, 118, 201
Limosa fedoa, 114

INDEX

- haemastica*, 16, 114, 309–310, 319
lapponica, 71–75, 114, 310, 319, 322
limosa, 114
lincolni, *Melospiza lincolni*, 155
littoralis, *Leucosticte tephrocotis*, 161
Locustella lanceolata, 141
ochotensis, 141
 Long, Ashley M., Mathewson, Heather A., Robinson, Dianne H., Grzybowski, Joseph A., and Morrison, Michael L., Black-capped Vireo breeding habitat in north-central Texas, 256–260
longicauda, *Toxostoma rufum*, 146
longipennis, *Sterna hirundo*, 126
 Longspur, Chestnut-collared, 315
 Lapland, 42, 149
 Smith's, 150, 225
 Loon, Arctic, 103–104, 219, 318
 Common, 35, 104
 Pacific, 104
 Red-throated, 11, 103
 Yellow-billed, 104
Lophodytes cucullatus, 102, 195
 Lovich, Jeffrey E., Golden Eagle mortality at a wind-energy facility near Palm Springs, California, 76–80
Loxia curvirostra, 163, 212
 leucoptera, 163
lugens, *Motacilla alba*, 147
Luscinia calliope, 142
 cyane, 142
 sibilans, 142
 svecica, 142
lutescens, *Oreothlypis celata*, 150–151
luteus, *Colaptes auratus*, 131–132
Lymnocyptes minimus, 118

magnus, *Aegolius funereus*, 128
 Magpie, Black-billed, 41, 135
 Mallard, 33, 99, 195
mandti, *Cepphus grylle*, 120
marginella, *Zenaida macroura*, 127
marila, *Aythya marila*, 100
 Marks, Jeffrey S., Book Review: *Owls of North America and the Caribbean*, 347–348
 Martin, Common House-, 137
 Purple, 136
 Mathewson, Heather A., *see* Long, A. M., *see* Colón, M. R.
maxima, *Melospiza melodia*, 154
 McFarland, Tiffany M., *see* Colón, M. R.
 McHugh, Yvonne E., *see* Brake, A. J.
 McNeil, Shannon E., Tracy, Diane, and Cappello, Caroline D., Loop migration by a western Yellow-billed Cuckoo wintering in the Gran Chaco, 244–255
 Meadowlark, Eastern, 211
 Western, 159, 211
mearnsi, *Zenaida asiatica*, 126
Megaceryle alcyon, 130, 203
Megascops kennicottii, 127
Melanerpes formicivorus, 81–82, 223
 uropygialis, 18
Melanitta americana, 35, 101
 fusca, 35, 101
 perspicillata, 35, 101
melanocephalus, *Pheucticus melanocephalus*, 158
melanuroides, *Limosa limosa*, 114
meligerus, *Troglodytes pacificus*, 138
Melospiza georgiana, 24, 155, 210
 lincolni, 155, 210
 melodia, 43, 154–155, 210
Melospiza fusca, 209
 Merganser, Common, 102, 195
 Hooded, 102, 195
 Red-breasted, 35, 102
merganser, *Mergus merganser*, 102
Mergellus albellus, 101–102, 318, 322
Mergus merganser, 102, 195
 serrator, 35, 102
meridionalis, *Cathartes aura*, 108
 Merlin, 40, 132, 203
 Merrill, Ryan J., and Bartels, Matt, Ninth report of the Washington Bird Records Committee (2008–2010), 299–325
merrilli, *Melospiza melodia*, 154–155
meruloides, *Ixoreus naevius*, 42, 146
Mesophoyx intermedia, 107
 Meyer, Aran, Warning, Nathaniel, and Benedict, Lauryn, Direct removal of fecal sacs by Rock Wrens, 267–270
 Meyers, Martin, Nevada Bird Records Committee Report for 2013, 8–27
middendorffii, *Anser fabalis*, 97
migratorius, *Turdus migratorius*, 146
Mimus polyglottos, 146, 207
minima, *Branta hutchinsii*, 98
minor, *Chordeiles minor*, 129

INDEX

- Loxia curvirostra*, 163
- Mlodinow, Steven G., and Leukering, T., Colorado's first accepted record of the Cave Swallow, 331–335; and Leukering, Tony, Brooks, Tayler, and Moore, Nick, Apparent hybrid Downy Woodpecker × Hairy Woodpecker in Colorado, 2–7
- Mniotilta varia*, 150, 208, 315, 320–321
- Mockingbird, Northern, 146, 207
- modesta*, *Ardea alba*, 107
- Molothrus aeneus*, 212, 225
- ater*, 159, 212
- monilis*, *Patagioenas fasciata*, 126
- montanus*, *Junco hyemalis*, 155–156
- Moore, Nick, *see* Mlodinow, S. G.
- Moorhen, Common, 110
- Moreno-Contreras, Israel, Gómez de Silva, Héctor, Torres-Vivanco, Adrián, Villalpando-Navarrete, Nohemi, and Botello, Alejandro, Avifauna of Juárez Municipality, Chihuahua, Mexico, 190–215; and Gatica-Colima, Ana, and Venegas, Diana, New Montezuma Quail records from Chihuahua, Mexico, 339–342
- morinella*, *Arenaria interpres*, 114
- Morrison, Michael L., *see* Long, A. L., *see* Colón, M. R.
- Motacilla alba*, 147
- cinerea*, 147
- tschutschensis*, 146–147
- Murre, Common, 38, 119
- Thick-billed, 119, 310
- Murrelet, Ancient, 120
- Kittlitz's, 120
- Long-billed, 120, 319
- Marbled, 120
- Scripps's, 310
- Scripps's/Craveri's, 310
- Scripps's/Guadalupe, 310
- Xantus's, 310
- Muscicapa dauurica*, 141
- griseisticta*, 141
- sibirica*, 141
- striata*, 141
- Myadestes townsendi*, 143, 336–338
- Myiarchus cinerascens*, 133, 204
- crinitus*, 20, 133
- tuberculifer*, 20
- tyrannulus*, 224
- Myiodynastes luteiventris*, 224
- Myna, Crested, 320
- naevius*, *Ixoreus naevius*, 146
- nanus*, *Catharus guttatus*, 143
- nearctica*, *Aythya marila*, 34, 100
- nebulosa*, *Strix nebulosa*, 128
- Needletail, White-throated, 129
- neglecta*, *Sturnella neglecta*, 159
- nelsoni*, *Lagopus muta*, 103
- Picoides pubescens*, 131
- Sitta carolinensis*, 278–290
- neumanni*, *Muscicapa striata*, 141
- Nighthawk, Common, 129, 202
- Lesser, 129, 202
- Night-Heron, Black-crowned, 108, 198
- Yellow-crowned, 13
- Nightjar, Gray, 129
- nigricans*, *Branta bernicla*, 33, 97
- Ninox japonica*, 129
- nivalis*, *Plectrophenax nivalis*, 150
- nubilosus*, *Onychoprion fuscatus*, 125
- Nucifraga columbiana*, 135
- Numenius americanus*, 114, 201
- borealis*, 113
- madagascariensis*, 114
- minutus*, 113
- phaeopus*, 37, 114
- tahitiensis*, 114
- Nutcracker, Clark's, 135
- Nuthatch, Pygmy, 273–275
- Red-breasted, 138, 206
- White-breasted, 206, 278–290
- Nyctanassa violacea*, 13
- Nycticorax nycticorax*, 108, 198
- nycticorax*, *Nycticorax nycticorax*, 108
- occidentalis*, *Aechmophorus occidentalis*, 104
- Branta canadensis*, 98
- Certhia americana*, 138
- Coccyzus americanus*, 127
- Larus occidentalis*, 123
- Oceanodroma furcata*, 106
- homochroa*, 49–65, 308, 319
- leucorhoa*, 106
- ochracea*, *Spizella arborea*, 153
- ochroleucus*, *Troglodytes pacificus*, 139
- ocularis*, *Motacilla alba*, 147
- O'Donnell, Ryan P., Hybridization between the Dusky Grouse and Sharp-tailed Grouse, 351–352
- Oenanthe oenanthe*, 142

INDEX

- oenanthe*, *Oenanthe oenanthe*, 142
olivaceus, *Regulus satrapa*, 139
 Vireo olivaceus, 135
Onychoprion aleuticus, 40, 125
 fuscatus, 125, 221
Oporornis agilis, 22
oreganus, *Junco hyemalis*, 155
Oreoscoptes montanus, 207
Oreothlypis celata, 150–151, 208
 luciae, 208
 peregrina, 150, 316, 321
 ruficapilla, 151, 208
 virginiae, 208
orientalis, *Streptopelia orientalis*, 126
 Oriole, Baltimore, 218, 321
 Bullock's, 159, 212
 Hooded, 225
 Orchard, 159, 318
 Scott's, 212
 Streak-backed, 225
ornata, *Emberiza aureola*, 156
osculans, *Haematopus ostralegus*, 111
 Osprey, 108, 198–199
Otus sunia, 127
 Ovenbird, 150, 315
 Owl, Barn, 202
 Barred, 17, 128
 Boreal, 128
 Burrowing, 202
 Great Gray, 128
 Great Horned, 127–128, 202,
 271–272
 Long-eared, 68–70, 128
 Northern Hawk, 128, 313–314,
 319, 322
 Northern Pygmy-, 128
 Northern Saw-whet, 129
 Oriental Scops-, 127
 Short-eared, 40, 128, 202
 Snowy, 128
 Western Screech-, 127
Oxyura jamaicensis, 102, 195
 Oystercatcher, Black, 36, 111
 Eurasian, 111

pacifica, *Calidris alpina* 37, 116
pacificus, *Anthus rubescens*, 42, 149
 Apus pacificus, 130
 Perisoreus canadensis, 135
 Troglodytes pacificus, 139
Pagophila eburnea, 122, 311
pallescens, *Stercorarius longicaudus*,
 38, 119
pallidiceps, *Bombycilla garrulus*, 149

pallidissimus, *Larus hyperboreus*, 125
palmarum, *Setophaga palmarum*, 152
Pandion haliaetus, 108, 198–199
 Pandolfino, Edward R., and Pieplow,
 Nathan D., Comparison of
 vocalizations of four U.S.
 subspecies of the White-breasted
 Nuthatch, 278–290; see Zamek, S.
Parabuteo unicinctus, 199, 220, 319
 Parker, Michael W., see Carter, H. R.
Parkesia motacilla, 22
 noveboracensis, 150, 208
 Parula, Northern, 316
 Tropical, 225
parvipes, *Branta canadensis*, 98
Passer domesticus, 164, 212
Passerculus sandwichensis, 42, 153,
 210
Passerella iliaca, 43, 153–154, 317
Passerina amoena, 158, 211
 caerulea, 158, 211
 ciris, 24, 211, 322
 cyanea, 158, 317, 321
Patagioenas fasciata, 126
pealei, *Falco peregrinus*, 40, 132
pekinensis, *Alauda arvensis*, 135
 Apus apus, 130
Pelecanus erythrorhynchos, 107, 198
 occidentalis, 13, 107
 Pelican, American White, 107, 198
 Brown, 13, 107
peninsularis, *Lagopus leucura*, 103
Perisoreus canadensis, 135
perobscurus, *Accipiter striatus*, 109
 Petrel, Ashy Storm-, 49–65, 308, 319
 Cook's, 105
 Fork-tailed Storm-, 106
 Hawaiian, 307–308
 Leach's Storm-, 106
 Mottled, 105, 307, 318–319
 Murphy's, 307
 Providence, 105, 303–306
Petrochelidon fulva, 206, 224,
 264–266, 331–335
 pyrrhonota, 41, 136, 206
Peucaea cassinii, 209–210
 Pewee, Greater, 314
 Western Wood-, 132, 204
 Phainopepla, 208, 320
Phainopepla nitens, 208, 320
Phalacrocorax auritus, 35, 106, 198
 brasilianus, 12, 196–197
 pelagicus, 35, 106–107
 penicillatus, 106

INDEX

- urile*, 35, 106
Phalaenoptilus nuttallii, 202
 Phalarope, Red, 38, 119
 Red-necked, 38, 119
 Wilson's, 119, 201
Phalaropus fulicarius, 38, 119
 lobatus, 38, 119
 tricolor, 119, 201
Phoebastria ludoviciana, 158, 211, 317–318
 melanocephalus, 158, 211
Phoebastria albatrus, 104, 302–303
 immutabilis, 104
 nigripes, 104
 Phoebe, Black, 133, 204, 314
 Eastern, 133, 204, 320
 Say's, 133, 204
Phoenicurus phoenicurus, 142
phoenicurus, *Phoenicurus*
 phoenicurus, 142
Phylloscopus borealis, 140
 collybita, 140
 examinandus, 140
 fuscatus, 140
 inornatus, 140
 proregulus, 140
 sibilatrix, 140
 trochilus, 140
Pica hudsonia, 41, 135
Picoides arcticus, 131
 dorsalis, 131
 pubescens, 2–7, 131, 203
 scalaris, 203
 villosus, 2–7, 131
 Pieplow, Nathan D., *see* Pandolfino, E. R.
 Pigeon, Band-tailed, 126
 Rock, 126, 202
pileolata, *Cardellina pusilla*, 42, 153
Pinicola enucleator, 161–162
 Pintail, Northern, 34, 99, 195
pinus, *Spinus pinus*, 163
Pipilo chlorurus, 209
 erythrophthalmus, 217–218
 maculatus, 153, 209, 343–346
 Pipit, American, 42, 149, 208, 263
 Olive-backed, 147
 Pechora, 147
 Red-throated, 148–149
 Sprague's, 22
 Tree, 147
Piranga ludoviciana, 158, 210
 olivacea, 158
 rubra, 210
Pitangus sulphuratus, 224
platyrhynchos, *Anas platyrhynchos*, 33, 99
Plectrophenax hyperboreus, 150, 320
 nivalis, 150
Plegadis chihi, 198, 308–309
 falcinellus, 219
 Plover, American Golden-, 15, 111
 Black-bellied, 111
 Common Ringed, 112
 European Golden-, 111
 Lesser Sand-, 111
 Little Ringed, 112
 Mountain, 15, 322
 Pacific Golden-, 36, 111
 Semipalmated, 36, 112
 Snowy, 112
plumbea, *Oceanodroma furcata*, 106
plumbeus, *Psaltriparus minimus*, 315
Pluvialis apricaria, 111
 dominica, 15, 111
 fulva, 36, 111
 squatarola, 111
 Pochard, Common, 100
Podiceps auritus, 104
 griseogena, 104
 nigricollis, 104, 196
podiceps, *Podilymbus podiceps*, 104
Podilymbus podiceps, 104, 196
Poecile atricapillus, 137
 cinctus, 138
 gambeli, 137
 hudsonicus, 137–138
 rufescens, 137
polaris, *Emberiza pallasi*, 156–157
Polioptila caerulea, 207, 315
 melanura, 207
pollicaris, *Rissa tridactyla*, 39, 122
polyglottos, *Mimus polyglottos*, 146
Polysticta stelleri, 100
 Pond-Heron, Chinese, 108
Poocetes gramineus, 153, 210
 Poorwill, Common, 202
Porzana carolina, 110, 201
 Pratincole, Oriental, 119
principalis, *Corvus corax*, 135
Progne subis, 136
Protonotaria citrea, 315–316
Prunella montanella, 146
Psaltriparus minimus, 315
 Ptarmigan, Rock, 103
 White-tailed, 103, 233–243
 Willow, 102–103
Pterodroma cookii, 105

INDEX

- inexpectata*, 105, 307, 318–319
sandwichensis, 307–308
solandri, 105, 303–306
ultima, 307
ptilocnemis, *Calidris ptilocnemis*, 116
Ptychoramphus aleuticus, 120
Puffin, Horned, 39, 121, 311, 319
 Tufted, 39, 121–122
Puffinus bulleri, 105
 carneipes, 105
 creatopus, 105
 gravis, 105, 308
 griseus, 35, 105
 puffinus, 105, 308
 tenuirostris, 105
pugetensis, *Zonotrichia leucophrys*, 155
purpureus, *Haemorrhous purpureus*, 162
pygmaea, *Aethia pygmaea*, 121
Pygmy-Owl, Northern, 128
Pyrocephalus rubinus, 204
pyrrhonota, *Petrochelidon pyrrhonota*, 41, 136
Pyrrhula pyrrhula, 162
pyrrhulina, *Emberiza schoeniclus*, 157
Pyrrhuloxia, 211, 225
- Quail, Gambel's, 196
 Montezuma, 339–342
 Scaled, 196
quarta, *Calidris ptilocnemis*, 116
Quiscalus mexicanus, 211, 318
 quiscula, 24, 159, 318
- Rail, Virginia, 110
Rallus limicola, 110
Raven, Chihuahuan, 205
 Common, 41, 135
reai, *Loxia curvirostra*, 163
Recurvirostra americana, 111, 201
Redhead, 100, 195
Redpoll, Common, 25, 44, 163, 291–298
 Hoary, 163, 225, 228, 318, 321
Redshank, Spotted, 15, 113
Redstart, American, 151, 208
 Common, 142
Redwing, 145
Regulus calendula, 139, 207
 satrapa, 139
Rhodostethia rosea, 122
richardsoni, *Aegolius funereus*, 128
ridgwayi, *Oreothlypis ruficapilla*, 151
Ringgenberg, Brandi, and Winker, K., Indications that the Common Redpoll is double brooded in Alaska, 291–298
Riparia riparia, 41, 136, 206
riparia, *Riparia riparia*, 41, 136
Ripplinger, Christina M., *see* Greeney, H. F.
Rissa brevirostris, 16, 39, 122
 tridactyla, 16, 39, 122
Roadrunner, Greater, 202
Robin, American, 146, 207, 336–338
 Rufous-backed, 20
 Rufous-tailed, 142
 Siberian Blue, 142
Robinson, Dianne H., *see* Long, A. M.
robusta, *Motacilla cinerea*, 147
rogersii, *Fulmarus glacialis*, 35, 105
Rosefinch, Common, 162
roselaari, *Calidris canutus*, 115
Rosy-Finch, Asian, 160–161
 Black, 218
 Gray-crowned, 43, 161, 218
ruber, *Sphyrapicus ruber*, 131
rubida, *Oxyura jamaicensis*, 102
rubiginosa, *Setophaga petechia*, 42, 152
Rubythroat, Siberian, 142
rufescens, *Poecile rufescens*, 137
Ruff, 115, 310
ruficollis, *Egretta tricolor*, 107
rufina, *Melospiza melodia*, 154
rustica, *Hirundo rustica*, 136
Rynchops niger, 222
- Sage-Grouse, Gunnison, 217
salicicola, *Catharus fuscescens*, 143
Salpinctes obsoletus, 206, 267–270
sanaka, *Melospiza melodia*, 43, 154
sanctijohannis, *Buteo lagopus*, 36, 110
Sanderling, 37, 116
Sandpiper, Baird's, 116
 Broad-billed, 115
 Buff-breasted, 118, 310
 Common, 112
 Curlew, 115, 220
 Green, 112
 Least, 37, 118, 201
 Marsh, 113
 Pectoral, 118, 201
 Purple, 116
 Rock, 37, 116
 Semipalmated, 118
 Sharp-tailed, 115

INDEX

- Solitary, 112–113, 201
 Spoon-billed, 115–116
 Spotted, 112, 201
 Stilt, 16, 115
 Terek, 112
 Upland, 113
 Western, 38, 118, 201
 White-rumped, 118
 Wood, 113
 Sand-Plover, Lesser, 111
sandwichensis, *Passerculus sandwichensis*, 42, 153
 Sapsucker, Red-breasted, 131
 Red-naped, 203
 Williamson's, 89–91, 203
 Yellow-bellied, 18, 130–131, 203, 314, 319
satrapa, *Tyrannus melancholicus*, 133
saturata, *Upupa epops*, 130
saturatus, *Bubo virginianus*, 127
 Contopus sordidulus, 132
Saxicola torquatus, 142
Sayornis nigricans, 133, 204, 314
 phoebe, 133, 204, 320
 saya, 133, 204
 Scaup, Greater, 34, 100
 Lesser, 34, 100, 195
 Schmidt, Krista K., *see* Greeney, H. F.
 Schneider, Ken R., Hypermelanistic American Pipit returns to winter in central California, 263
 Scops-Owl, Oriental, 127
 Scoter, Black, 35, 101
 Surf, 35, 101
 White-winged, 35, 101
 Screech-Owl, Western, 127
 Sea-Eagle, Steller's, 108–109
 Searcy, Adam, Book review: *The Warbler Guide*, 186–187
Seiurus aurocapilla, 150, 315
Selasphorus platycercus, 203
 rufus, 130, 203
 sasin, 17, 319
semiafer, *Sayornis nigricans*, 133
semidiensis, *Troglodytes pacificus*, 41, 138
septentrionalis, *Picoides villosus*, 131
septentrionalium, *Anas cyanoptera*, 99
serripennis, *Stelgidopteryx serripennis*, 136
serrirostris, *Anser serrirostris*, 97
Setophaga americana, 316
 auduboni, 209
 caerulescens, 152, 317, 321, 322
 castanea, 24, 317
 chrysoparia, 261–262
 citrina, 208
 coronata, 42, 152, 209
 discolor, 24, 152
 dominica, 317
 fusca, 317
 graciae, 209
 magnolia, 151, 316–317
 nigrescens, 209
 palmarum, 152
 pennsylvanica, 152, 317
 petechia, 42, 152, 208–209
 pinus, 24, 209
 pitiayumi, 225
 ruticilla, 151, 208
 striata, 152, 317, 321
 tigrina, 151
 townsendi, 152, 209
 virens, 152
 Shearwater, Buller's, 105
 Flesh-footed, 105
 Great, 105, 308
 Manx, 105, 308
 Pink-footed, 105
 Short-tailed, 105
 Sooty, 35, 105
 Streaked, 319
 Shedd, Jackson D., Acorn Woodpecker predation on the Western Fence Lizard in northern California, 81–82
 Shoveler, Northern, 34, 99, 195
 Shrike, Brown, 134
 Loggerhead, 204
 Northern, 134
Sialia currucoides, 143, 207, 273–275
 mexicana, 207
 sialis, 207
 sibilans, *Luscinia sibilans*, 142
 sibirica, *Calidris falcinellus*, 115
 Muscicapa sibirica, 141
 sibiricus, *Lanius excubitor*, 134
 Siemens, Larry, Two thrush species feed the same nestlings, 336–338
simillima, *Motacilla tschutschensis*, 147
sinuosa, *Passerella iliaca*, 154
 Siskin, Eurasian, 163
 Pine, 163, 212
sitkensis, *Dendragapus fuliginosus*, 103
 Picoides villosus, 131

INDEX

- Sitta canadensis*, 138, 206
 carolinensis, 206, 278–290
 pygmaea, 273–275
 Skimmer, Black, 222
 Skua, South Polar, 119
 Smew, 101–102, 318, 322
smithsonianus, *Larus argentatus*, 39, 123
 Snipe, Common, 118
 Jack, 118
 Pin-tailed, 118
 Solitary, 118–119
 Wilson's, 38, 118, 201
 Solitaire, Townsend's, 143, 336–338
solitaria, *Tringa solitaria*, 112
solitarius, *Vireo solitarius*, 134
Somateria fischeri, 100
 mollissima, 101
 spectabilis, 35, 101, 302
 Sora, 110, 201
 Sparrow, American Tree, 153
 Black-chinned, 210, 225
 Black-throated, 210
 Brewer's, 153, 210
 Cassin's, 209–210
 Chipping, 153, 210
 Clay-colored, 24, 153, 210
 Fox, 43, 153–154, 317
 Golden-crowned, 43, 155
 Grasshopper, 210
 Harris's, 155
 House, 164, 212
 Lark, 153, 210
 Lincoln's, 155, 210
 Rufous-crowned, 209
 Sagebrush, 210
 Savannah, 42, 153, 210
 Song, 43, 154–155, 210
 Swamp, 24, 155, 210
 Vesper, 153, 210
 White-crowned, 43, 155, 210
 White-throated, 155
sparverius, *Falco sparverius*, 132
Sphyrapicus nuchalis, 203
 ruber, 131
 thyroideus, 89–91, 203
 varius, 18, 130–131, 203, 314, 319
Spinus lawrencei, 228
 pinus, 163, 212
 psaltria, 212
 pinus, 163
 tristis, 163, 212
Spiza americana, 24, 158, 211, 318, 321
Spizella arborea, 153
 atrogularis, 210, 225
 breweri, 153, 210
 pallida, 24, 153, 210
 passerina, 153, 210
sponsa, *Anser albifrons*, 32, 97
spurius, *Icterus spurius*, 159
 Stahl, Justyn, Book Review: *Peterson Reference Guide to Seawatching*, 348–350
 Stahlecker, Dale W., Prolonged incubation and two clutches in a New Mexico Great Horned Owl nest: 2011–2012, 271–272
 Starling, European, 146, 207–208
stegmanni, *Charadrius mongolus*, 111
stejnegeri, *Anthus gustavi*, 147
 Melanitta fusca, 101
 Saxicola torquatus, 142
Stelgidopteryx serripennis, 136, 205–206
stelleri, *Cyanocitta stelleri*, 135
Stercorarius longicaudus, 16, 38, 119
 maccormicki, 119
 parasiticus, 16, 38, 119
 pomarinus, 119
Sterna hirundo, 126
 paradisaea, 40, 126
Sternula antillarum, 17, 311–312
 Stilt, Black-necked, 201
 Black-winged, 111
 Stint, Little, 116–118
 Long-toed, 115
 Red-necked, 116, 310
 Temminck's, 115
 Stonechat, 142
 Storm-Petrel, Ashy, 49–65, 308, 319
 Fork-tailed, 106
 Leach's, 106
Streptopelia decaocto, 126, 202, 222, 312, 322
 orientalis, 126
strigatus, *Chondestes grammacus*, 153
Strix nebulosa, 128
 varia, 17, 128
Sturnella magna, 211
 neglecta, 159, 211
Sturnus vulgaris, 146, 207–208
subbuteo, *Falco subbuteo*, 132
subis, *Progne subis*, 136
suckleyi, *Falco columbarius*, 132
Sula leucogaster, 106, 308

INDEX

- Surfbird, 115
surinamensis, *Chlidonias niger*, 126
Surnia ulula, 128, 313–314, 319, 322
suecica, *Luscinia suecica*, 142
swainsoni, *Vireo gilvus*, 134
 Swallow, Bank, 41, 136, 206
 Barn, 136–137, 206
 Cave, 206, 224, 264–266, 331–335
 Cliff, 41, 136, 206
 Northern Rough-winged, 136, 205–206
 Tree, 136, 205
 Violet-green, 41, 136, 205
 Swan, Trumpeter, 11, 98
 Tundra, 33, 98, 301
 Whooper, 98–99
 Swift, Black, 129
 Chimney, 129
 Common, 130
 Fork-tailed, 130
 Vaux's, 129
 White-throated, 202–203
Sylvia curruca, 140
Synthliboramphus antiquus, 120
 hypoleucus, 310
 scrippsi, 310
 scrippsi/craveri, 310
 scrippsi/hypoleucus, 310

tabida, *Grus canadensis*, 110
Tachycineta bicolor, 136, 205
 thalassina, 41, 136, 205
 Tanager, Scarlet, 158
 Summer, 210
 Western, 158, 210
Tarsiger cyanurus, 142
 Tattler, Gray-tailed, 113
 Wandering, 37, 113
taverneri, *Branta hutchinsii*, 98
 Spizella breweri, 153
 Teal, Baikal, 100, 301
 Blue-winged, 33, 99, 195
 Cinnamon, 99, 195
 Green-winged, 34, 100, 195
tenuissima, *Sitta carolinensis*, 278–290
tephrocotis, *Leucosticte tephrocotis*, 161
 Tern, Aleutian, 40, 125
 Arctic, 40, 126
 Black, 126
 Caspian, 125–126
 Common, 126
 Least, 17, 311–312
 Royal, 221
 Sandwich, 221–222
 Sooty, 125, 221
 White-winged, 126
texensis, *Chordeiles acutipennis*, 129
Thalassarche salvini, 104
Thalasseus maximus, 221
 sandvicensis, 221–222
thalassina, *Tachycineta thalassina*, 41, 136
thayeri, *Larus glaucooides*, 123, 125
 Thrasher, Brown, 21, 146, 315
 Crissal, 207
 Curve-billed, 21, 207
 Sage, 207
 Thrush, Dusky, 144–145
 Eyebrowed, 144
 Gray-cheeked, 143
 Hermit, 42, 143, 207
 Swainson's, 143, 207
 Varied, 42, 146
 Wood, 143
Thryomanes bewickii, 207
tolmiei, *Geothlypis tolmiei*, 151
 Tomkovich, Pavel S., *see* Hajdukovich, N. R.
torquilla, *Jynx torquilla*, 130
 Torres-Vivanco, Adrián, *see* Moreno-Contreras, I.
 Towhee, Canyon, 209
 Eastern, 217–218
 Green-tailed, 209
 Spotted, 153, 209, 343–346
townsendi, *Lagopus muta*, 103
 Myadestes townsendi, 143
 Passerella iliaca, 43, 154
 Plectrophenax nivalis, 150
Toxostoma crissale, 207
 curvirostre, 21, 207
 rufum, 21, 146, 315
 Tracy, Diane, *see* McNeil, S. E.
Tringa brevipes, 113
 erythropus, 15, 113
 flavipes, 113, 201
 glareola, 113
 incana, 37, 113
 melanoleuca, 37, 113, 201
 nebularia, 113
 ochropus, 112
 semipalmata, 113
 solitaria, 112–113, 201
 stagnatilis, 113
tristis, *Phylloscopus collybita*, 140
trivialis, *Anthus trivialis*, 147
Troglodytes aedon, 206

INDEX

- pacificus*, 41, 138–139, 224–225
tschuktschorum, *Calidris ptilocnemis*, 116
tschutschensis, *Motacilla tschutschensis*, 146–147
tundrae, *Charadrius hiaticula*, 112
tundrius, *Falco peregrinus*, 132
Turdus iliacus, 145
 migratorius, 146, 207, 336–338
 naumanni, 144–145
 obscurus, 144
 pilaris, 145
 *rufopalliatu*s, 20
turneri, *Poecile atricapillus*, 137
 Turnstone, Black, 114
 Ruddy, 37, 114
 Turtle-Dove, Oriental, 126
Tympanuchus phasianellus, 103
 × *Dendragapus obscurus*, 351–352
Tyrannus crassirostris, 224
 forficatus, 20, 134, 315, 320
 melancholicus, 133, 314
 melancholicus/couchii, 314–315, 320
 tyrannus, 134
 verticalis, 133–134, 204
 vociferans, 204
Tyto alba, 202
- umbelloides*, *Bonasa umbellus*, 102
umbrina, *Leucosticte tephrocotis*, 161
unalaschcensis, *Passerella iliaca*, 43, 153
unicolor, *Cinclus mexicanus*, 139
Upupa epops, 130
Uria aalge, 38, 119
 lomvia, 119, 310
ustulatus, *Catharus ustulatus*, 143
- Vander Pluym, David, Book review:
 Field Guide to Birds of the Northern California Coast, 83–86
Vanellus vanellus, 111
varia, *Strix varia*, 128
variegatus, *Numenius phaeopus*, 114
vauxi, *Chaetura vauxi*, 129
 Veery, 143
vegae, *Larus argentatus*, 123
veliei, *Contopus sordidulus*, 132
velox, *Accipiter striatus*, 109
 Venegas, Diana, *see* Moreno-Contreras, I.
 Verdin, 206
versicolor, *Quiscalus quiscula*, 159
- Villalpando-Navarrete, Nohemi, *see* Moreno-Contreras, I.
vinifer, *Haemorrhous cassinii*, 66–68
 Violetear, Green, 222
virens, *Setophaga virens*, 152
 Vireo, Bell's, 204, 315
 Black-capped, 256–260
 Blue-headed, 134, 205, 217, 315, 320
 Cassin's, 134, 205, 217
 Philadelphia, 134–135, 315, 320
 Plumbeous, 205
 Red-eyed, 135
 Warbling, 134, 205
Vireo atricapilla, 256–260
 bellii, 204, 315
 cassinii, 134, 205, 217
 gilvus, 134, 205
 olivaceus, 135
 philadelphicus, 134–135, 315, 320
 plumbeus, 205
 solitarius, 134, 205, 217, 315, 320
viridigularis, *Gavia arctica*, 103–104
v-nigrum, *Somateria mollissima*, 101
vociferus, *Charadrius vociferus*, 112
vulgaris, *Sturnus vulgaris*, 146
 Vulture, Black, 219
 Turkey, 108, 198
- Wagtail, Eastern Yellow, 146–147
 Gray, 147
 White, 147
 Warbler, Arctic, 140
 Audubon's, 209
 Bay-breasted, 24, 317
 Black-and-white, 150, 208, 315, 320–321
 Blackburnian, 317
 Blackpoll, 152, 317, 321
 Black-throated Blue, 152, 317, 321, 322
 Black-throated Gray, 209
 Black-throated Green, 152
 Canada, 153
 Cape May, 151
 Chestnut-sided, 152, 317
 Connecticut, 22
 Dusky, 140
 Golden-cheeked, 261–262
 Grace's, 209
 Hooded, 208
 Kamchatka Leaf, 140
 Lanceolated, 141
 Lucy's, 208

INDEX

- MacGillivray's, 151, 208
 Magnolia, 151, 316–317
 Middendorff's Grasshopper-, 141
 Mourning, 151, 316
 Myrtle, 209
 Nashville, 151, 208
 Orange-crowned, 150–151, 208
 Pallas's Leaf, 140
 Palm, 152
 Pine, 24, 209
 Prairie, 24, 152
 Prothonotary, 315–316
 Red-faced, 225
 Sedge, 141
 Tennessee, 150, 316, 321
 Townsend's, 152, 209
 Virginia's, 208
 Willow, 140
 Wilson's, 42, 153, 209
 Wood, 140
 Worm-eating, 320
 Yellow, 42, 152, 208–209
 Yellow-browed, 140
 Yellow-rumped, 42, 152
 Yellow-throated, 317
 Warning, Nathaniel, *see* Meyer, A.
 Waterthrush, Louisiana, 22
 Northern, 150, 208
 Waxwing, Bohemian, 149
 Cedar, 149, 208
 Wethington, Susan M., *see* Greeney, H. F.
 Wheatear, Northern, 142
 Whimbrel, 37, 114
 Whip-poor-will, Eastern, 129, 217
 Mexican, 217
 Whistling-Duck, Black-bellied, 11, 228
 Fulvous, 11, 218
 Whitethroat, Lesser, 140
 Whitworth, Darrell L., *see* Carter, H. R.
 Wigeon, American, 33, 99, 195
 Eurasian, 33, 99
 Willet, 113
 Williams, Sartor O. III, *see* Braun, C. E.
wilsonianus, *Asio otus*, 128
 Winker, Kevin, *see* Ringgenberg, B.
 Withrow, Jack J., Notes on the birds of
 Chirikof Island, Alaska, 28–48; *see*
 Gibson, D. D.
 Woodpecker, Acorn, 81–82, 223
 American Three-toed, 131
 Black-backed, 131
 Downy, 2–7, 131, 203
 Gila, 18
 Great Spotted, 131
 Hairy, 2–7, 131
 Ladder-backed, 203
 Wood-Pewee, Western, 132, 204
 Wren, Bewick's, 207
 Cactus, 207
 Canyon, 206
 House, 206
 Marsh, 139, 206–207
 Pacific, 41, 138–139, 224–225
 Rock, 206, 267–270
 Wrentit, 320
 Wryneck, Eurasian, 130

Xanthocephalus xanthocephalus,
 159, 211
Xema sabini, 122
Xenus cinereus, 112

yakutensis, *Phylloscopus trochilus*,
 140
 Yellowlegs, Greater, 37, 113, 201
 Lesser, 113, 201
 Yellowthroat, Common, 151, 208
yukonensis, *Bonasa umbellus*, 102
 Sayornis saya, 133
yunnanensis, *Anthus hodgsoni*, 147

zaboria, *Passerella iliaca*, 154
 Zamek, Steve, and Pandolfino,
 Edward R., Interspecific feeding of
 Mountain Bluebird nestlings by a
 Pygmy Nuthatch, 273–275
Zenaida asiatica, 126, 202, 312, 319,
 322
 macroura, 127, 202
Zonotrichia albicollis, 155
 atricapilla, 43, 155
 leucophrys, 43, 155, 210
 querula, 155