

# WESTERN BIRDS, INDEX, VOLUME 54, 2023

Compiled by Daniel D. Gibson

- Acanthis flammea*, 286  
*Accipiter cooperii*, 178  
*acredula*, *Phylloscopus trochilus*, 104–105  
*Actitis macularius*, 215–226  
*acufavidus*, *Thalasseus sandvicensis*, 101–102  
 Adriaens, Peter, Ayyash, Amar, and Muusse, Mars, Extensive Prealternate Molts in Peruvian Kelp Gulls, 227–247  
*Aechmophorus occidentalis*, 313–316  
*Aegolius acadicus*, 178  
*Aeronautes saxatilis*, 178  
*Agelaius phoeniceus*, 180  
     *tricolor*, 2–18, 19–31, 181–195  
 Águila, Sergio, *see* Marrón, G.  
*Aimophila ruficeps*, 180  
 Airola, Daniel A., Recent Increase in the Yellow-billed Magpie Population in Sacramento and Its Possible Causes, 301–308; and Collins, Tara L., McColl, Christopher J., Lozano, Michael R., Furnas, Brett J., and Krolick, David E., Foraging Habitat and Its Effects on the Tricolored Blackbird's Breeding Distribution and Abundance in the Sierra Nevada Foothills, California, 19–31; and *see* Castañeda, X.  
*altivagans*, *Passerella iliaca*, 117–132  
 Alvarez, Jeff A., *see* Wilcox, J. T.  
*Ammodramus savannarum*, 196–207  
*Ammospiza leconteii*, 109, 289  
     *nelsoni*, 289  
*Amphispiza bilineata*, 179  
*Anas diazi*, 254  
     *platyrhynchos*, 178  
 Anhinga, 272  
*Anhinga anhinga*, 272  
 Ani, Groove-billed, 259  
*Anthus rubescens*, 196–207  
*Antigone canadensis*, 263  
*Antrostomus vociferus*, 259–260  
*Aphelocoma californica*, 179  
*Aramides axillaris*, 261  
*Archilochus alexandri*, 261  
     *colubris*, 261  
*Ardea alba*, 178  
*Arenaria pacifica*, 102–103  
*Arenaria interpres*, 264  
     *melanocephala*, 265  
*Artemisiospiza belli*, 180  
 Arthur, Samantha, *see* Castañeda, X.  
*Asio flammeus*, 196–207  
*Athene cunicularia*, 196–207  
*Auriparus flaviceps*, 179  
 Ayyash, Amar, *see* Adriaens, P.  
*Baeolophus atricristatus*, 281  
     *bicolor*, 281  
     *inornatus*, 179  
     *ridgwayi*, 281  
*bangsi*, *Tachybaptus dominicus*, 87–90  
 Barton, Rainey G., *see* Bloom, P. H.  
*Bartramia longicauda*, 196–207  
*Basilinna xantusii*, 178  
 Baumann, Matthew J., The First Tropical Kingbird Nest in New Mexico, 83–86; and *see* Williams, S. O. III  
 Blackbird, Brewer's, 180  
     Red-winged, 180  
     Rusty, 290  
     Tricolored, 2–18, 19–31, 181–195  
 Bloom, Peter H., Barton, Rainey G., and Kuehn, Michael J., Swainson's Hawk Nesting Population in the Antelope Valley of the Western Mojave Desert, California, 32–43  
 Bluebird, Mountain, 196–207  
     Western, 179  
 Bobolink, 196–207, 289  
 Bobwhite, Northern, 196–207  
 Bohman, N., Course Review: Great Courses' National Geographic Guide to Birding in North America, 157–158  
 Booby, Blue-footed, 272  
     Brown, 272  
 Brant, 257  
*Branta bernicla*, 257  
*brevicauda*, *Passerella iliaca*, 117–132  
*Bubo virginianus*, 178  
 Bunting, Lark, 196–207  
     Lazuli, 180  
     Snow, 286  
 Bushtit, 179  
*Buteo albonotatus*, 178  
     *brachyurus*, 275  
     *jamaicensis*, 178  
     *lagopus*, 196–207  
     *lineatus*, 275  
     *plagiatus*, 275  
     *regalis*, 196–207  
     *rufinus*, 103  
     *swainsoni*, 32–43, 196–207

# INDEX

- Butorides virescens*, 178  
 Buzzard, Long-legged, 103
- Calamospiza melanocorys*, 196–207  
*Calcarius lapponicus*, 196–207  
*ornatus*, 108–109, 196–207  
*pictus*, 286  
*Calidris acuminata*, 265  
*canutus*, 265  
*pugnax*, 265  
*subruficollis*, 265–266  
*californicus*, *Haemorhous purpureus*, 286  
*Calliope calliope*, 309–312  
*Callipepla californica*, 178  
*squamata*, 196–207  
*Calypte anna*, 178  
*costae*, 178, 261  
*Campylorhynchus brunneicapillus*, 179  
*canescens*, *Passerella iliaca*, 117–132  
 Capitolo, Phillip J., and Doe, Barbara,  
 Nest-Box Use and Apparent Double  
 Brooding by Red-breasted Nuthatches  
 in California, 148–152  
 Caracara, Crested, 278  
*Caracara plancus*, 278  
*Cardellina canadensis*, 295  
*pusilla*, 180  
 Cardinal, Northern, 180  
*Cardinalis cardinalis*, 180  
*sinuata*, 180  
 Carmona, Roberto, *see* Marrón, G.  
 Carter, Harry R., *see* Whitworth, D. L.  
 Castañeda, Xerónimo, Clipperton, Neil,  
 Airola, Daniel A., Arthur, Samantha,  
 and Sousa, Paul, Effectiveness of  
 Public-Private Efforts to Conserve  
 Tricolored Blackbird Colonies on  
 Agricultural Lands in the San Joaquin  
 Valley, California, 2–18  
*castaneiceps*, *Setophaga petechia*, 144–147  
 Castillo Vardaro, Jessica A., *see* Sowa, S. L.  
*Cathartes aura*, 178  
*Catharus aurantiirostris*, 282–283  
*fuscescens*, 284  
*guttatus*, 179  
*minimus*, 284  
*Catherpes mexicanus*, 179  
*caurinus*, *Corvus brachyrhynchos*, 104  
*certhiola*, *Helopsaltes certhiola*, 104  
*Chaetura vauxi*, 260  
*Chamaea fasciata*, 179  
*Charadrius melodus*, 264  
*montanus*, 196–207  
*nivosus*, 44–64, 100  
*vociferus*, 178  
 Chickadee, Mountain, 179  
*Chloroceryle americana*, 276  
*Chondestes grammacus*, 179, 196–207  
*Circus hudsonius*, 153–156, 178, 196–207  
*Cistothorus stellaris*, 282  
*citreola*, *Motacilla citreola*, 108  
*Clangula hyemalis*, 258  
 Clements, Nolan C., and Tietz, James R.,  
 First Record of the Small-billed Elaenia  
 (*Elaenia parvirostris*) for Western  
 North America, 208–214  
 Clipperton, Neil, *see* Castañeda, X.  
*Coccyzus erythrophthalmus*, 259  
*Colaptes auratus*, 178  
*chrysoides*, 178  
*Colinus virginianus*, 196–207  
 Collins, Tara A., *see* Airola, D. A.  
*Columba livia*, 178  
*Columbina passerina*, 178  
*talpacoti*, 259  
 Condor, California, 178  
*Contopus cooperi*, 178  
*sordidulus*, 178  
*virens*, 279  
*Coragyps atratus*, 274  
*Corthylio calendula*, 179  
*Corvus brachyrhynchos*, 104  
*corax*, 179  
*cryptoleucus*, 196–207  
 Cowbird, Brown-headed, 144–147, 180  
 Crane, Common, 263  
 Hooded, 99–100  
 Sandhill, 263  
 Cristerna, Jorge, *see* Marrón, G.  
 Crossbill, Red, 179  
 White-winged, 286  
*Crotophaga sulcirostris*, 259  
 Crow, American, 104  
 Cuckoo, Black-billed, 259  
 Curlew, Long-billed, 196–207  
*Cyanocorax yncas*, 281  
*Cygnus buccinator*, 257
- daggetti*, *Sphyrapicus ruber*, 276  
 DeCicco, Lucas H., *see* Gibson, D. D.  
 de León-Girón, Gonzalo, *see* Ruiz-C., G.  
*Dendrocygna autumnalis*, 257  
*bicolor*, 257  
 Diaz, Rudy A., *see* Goodward, D. M.  
 Dickcissel, 196–207  
 Doe, Barbara, *see* Capitolo, P. J.  
*Dolichonyx oryzivorus*, 196–207, 289  
 Dorado, David, Prey Size Determines

# INDEX

- Handling and Capture Tactics in the Western Grebe, 313–316
- Douglas, Lily A., *see* Pandolfino, E. R.
- Dove, Common Ground, 178
  - Eurasian Collared-, 178
  - Mourning, 178
  - Ruddy Ground, 259
  - White-winged, 178
- Dowitcher, Long-billed, 266
  - Short-billed, 266–267
- Dryobates nuttallii*, 178
  - scalaris*, 178
  - villosus*, 178
- Duck, Black-bellied Whistling-, 257
  - Fulvous Whistling-, 257
  - Long-tailed, 258
  - Mexican, 254
- Egger, Cheryl, *see* Ryan, T. P.
- Egret, Great, 178
  - Reddish, 273
- Egretta caerulea*, 272
  - rufescens*, 273
- Elaenia, Small-billed, 208–214
- Elaenia parvirostris*, 208–214
- Elanoides forficatus*, 274
- elegans*, *Buteo lineatus*, 275
- Empidonax alnorum*, 280
  - difficilis*, 178, 280
  - flaviventris*, 279
  - fulvivrons*, 280
  - virescens*, 279
  - wrightii*, 178
- Eremophila alpestris*, 179, 196–207
- Eudocimus albus*, 273–274
- Eugenius fulgens*, 260
- Euphagus carolinus*, 290
  - cyanoccephalus*, 180
- Euptilotis neoxenus*, 276
- Falco mexicanus*, 178, 196–207
  - peregrinus*, 178
  - sparverius*, 178
- Falcon, Peregrine, 178
  - Prairie, 178, 196–207
- fedoa*, *Limosa fedoa*, 100
- Finch, Cassin's, 179
  - House, 179
  - Purple, 285–286
- Flicker, Gilded, 178
  - Northern, 178
- Flycatcher, Acadian, 279
  - Alder, 280
  - Ash-throated, 178
  - Buff-breasted, 280
  - Gray, 178
  - Olive-sided, 178
  - Pacific-slope, 280
  - Piratic, 279
  - Scissor-tailed, 196–207
  - Sulphur-bellied, 278
  - Western, 178
  - Yellow-bellied, 279
- fulva*, *Passerella iliaca*, 117–132
- Furnas, Brett J., *see* Airola, D. A.
- Gallinule, Purple, 263
- Gaona-Melo, Tonatiuh, *see* Hargrove, L., and *see* Ruiz-C., G.
- Gavia adamsii*, 272
  - stellata*, 272
- Geococcyx californianus*, 178
- Geothlypis formosa*, 292
  - philadelphia*, 291–292
- Geranoaetus albicaudatus*, 274
  - polyosoma*, 274
- Gibson, Daniel D., Heintz, Steven C., Tobish, Theodore G. Jr., Lang, Aaron J., Withrow, Jack J., DeCicco, Lucas H., Hajdukovich, Nicholas R., and Scher, Robert L., Fifth Report of the Alaska Checklist Committee, 2018–2022, 98–116
- Gnatcatcher, Black-capped, 282
  - Blue-gray, 179
  - California, 179
- Godwit, Hudsonian, 264
  - Marbled, 100
- Golden-Plover, American, 263–264
  - European, 263
- Goldfinch, Lawrence's, 179, 286
  - Lesser, 179
- Goodward, David M., and Diaz, Rudy A., Tricolored Blackbirds' Reliance on Insects from Dairies, 181–195
- Grasshopper Warbler, Pallas's, 104
- Grebe, Least, 87–90, 178
  - Red-necked, 259
  - Western, 313–316
- Griswold, Ross, *see* Ryan, T. P.
- Grosbeak, Black-headed, 180
  - Yellow, 296
- Ground Dove, Common, 178
  - Ruddy, 259
- Grouse, Sharp-tailed, 196–207
- Grus grus*, 263
  - monacha*, 99–100
- Gull, Common, 101

# INDEX

- Glaucous, 270  
 Glaucous-winged, 270  
 Heermann's, 269  
 Iceland, 270  
 Kelp, 227–247  
 Laughing, 269  
 Lesser Black-backed, 270  
 Little, 268–269  
 Pallas's, 100  
 Short-billed, 100–101, 269  
 Thayer's, 270  
 Western, 269  
 Yellow-footed, 269  
*Gymnogyps californianus*, 178  
*Gymnorhinus cyanocephalus*, 179  
  
*Haemorrhous cassinii*, 179  
     *mexicanus*, 179  
     *purpureus*, 285–286  
 Hajdukovich, Nicholas R., *see* Gibson, D. D.  
 Hargrove, Lori, Unitt, Philip, Marrón, Gerardo, Gaona-Melo, Tonatiuh, and Ruiz-Campos, Gorgonio, Breeding Status of the Gray Vireo on the Baja California Peninsula, 162–180; and *see* Ruiz-C., G.  
 Harrier, Northern, 153–156, 178, 196–207  
 Hawk, Cooper's, 178  
     Ferruginous, 196–207  
     Gray, 275  
     Red-shouldered, 275  
     Red-tailed, 178  
     Rough-legged, 196–207  
     Short-tailed, 275  
     Swainson's, 32–43, 196–207  
     Variable, 274  
     White-tailed, 274  
     Zone-tailed, 178  
 Heindel, Matthew T.: In Memoriam: Thomas S. Heindel, 1936–2023, 320–321  
 Heinl, Steven C., *see* Gibson, D. D.  
*Helmitheros vermivorum*, 290  
*Helopsaltes certhiola*, 104  
 Heron, Green, 178  
     Little Blue, 272  
     Yellow-crowned Night-, 273  
*Hippolais icterina*, 104  
 Howard, James A., *see* Whitworth, D. L.  
 Hummingbird, Allen's, 261  
     Anna's, 178  
     Berylline, 261  
     Black-chinned, 261  
     Costa's, 178, 261  
     Rivoli's, 260  
     Ruby-throated, 261  
     Rufous, 178, 261  
     Xantus's, 178  
*Hydrobates cheimomnestes*, 133–143  
*Hydrocoloeus minutus*, 268–269  
*Hylocichla mustelina*, 284  
  
 Ibis, Glossy, 274  
     White, 273–274  
*Ichthyaelus ichthyaelus*, 100  
*Icterus bullockii*, 180  
     *cucullatus*, 180  
     *galbula*, 289–290  
     *parisorum*, 180  
     *pustulatus*, 289  
*iliaca*, *Passerella iliaca*, 117–132  
*Ixoreus naevius*, 285  
  
 Jackson, Ian, *see* Wilcox, J. T.  
 Jaeger, Long-tailed, 267  
     Parasitic, 267  
     Pomarine, 267  
     (sp.), 268  
 Jay, California Scrub-, 179  
     Green, 281  
     Pinyon, 179  
 Junco, Dark-eyed, 180, 248–251  
*Junco hyemalis*, 180, 248–251  
  
*kamtschatschensis*, *Larus canus*, 101  
 Kestrel, American, 178  
 Killdeer, 178  
 Kingbird, Couch's, 279  
     Eastern, 196–207  
     Tropical, 83–86, 279  
     Tropical/Couch's, 279  
     Western, 178, 196–207  
 Kingfisher, Green, 276  
 Kinglet, Ruby-crowned, 179  
 Kiskadee, Great, 278  
 Kite, Swallow-tailed, 274  
 Kittiwake, Black-legged, 268  
 Knot, Red, 265  
 Krolick, David E., *see* Airola, D. A.  
 Kuehn, Michael J., *see* Bloom, P. H.  
  
*Lampornis amethystinus*, 260  
     *clemenciae*, 260–261  
 Lang, Aaron J., *see* Gibson, D. D.  
*Lanius collurio*, 103–104  
     *ludovicianus*, 179, 196–207  
 Lark, Horned, 179, 196–207

# INDEX

- Larus brachyrhynchus*, 100–101, 269  
*canus*, 101  
*dominicanus*, 227–247  
*fuscus*, 270  
*glaucescens*, 270  
*glaucoides*, 270  
*heermanni*, 269  
*hyperboreus*, 270  
*livens*, 269  
*occidentalis*, 269  
*Laterallus jamaicensis*, 263  
*Legatus leucophaius*, 279  
Leick, Debbie, *see* Mathers-Winn, C.  
*Leiothlypis celata*, 180  
*luciae*, 110  
*peregrina*, 291  
*Leucophaeus atricilla*, 269  
*Limnodromus griseus*, 266–267  
*scolopaceus*, 266  
*Limnolytis swainsonii*, 291  
*Limosa fedoa*, 100  
*haemastica*, 264  
*lineatus*, *Buteo lineatus*, 275  
Longspur, Chestnut-collared, 108–109,  
196–207  
Lapland, 196–207  
Smith's, 286  
Thick-billed, 196–207  
Loon, Red-throated, 272  
Yellow-billed, 272  
*Loxia curvirostra*, 179  
*leucoptera*, 286  
Lozano, Michael R., *see* Airola, D. A.  
Luong, Yvonne, *see* Sowa, S. L.  
Magpie, Yellow-billed, 301–308  
Mallard, 178  
*Mareca americana*, 66–71  
*penelope*, 65–74, 257–258  
Marrón, Gerardo, Carmona, Roberto, Cris-  
terna, Jorge, and águila, Sergio, First  
Record of the Brown-headed Cowbird  
Parasitizing the Mangrove Warbler  
in Baja California Sur, 144–147; *see*  
Hargrove, L., and *see* Ruiz-C., G.  
Martin, Purple, 179  
Mathers-Winn, Cedar, Leick, Deb-  
bie, and Stone, Kate, A Method for  
Distinguishing Flight Calls of Several  
Western Birds, 215–226  
Mazurkiewicz, David M., *see* Whitworth,  
D. L.  
McColl, Christopher J., *see* Airola, D. A.  
Meadowlark, Eastern, 196–207  
Western, 180, 196–207  
*megarhyncha*, *Passerella iliaca*, 117–132  
*Megascops asio*, 275–276  
*kennicottii*, 178  
*Melanerpes aurifrons*, 276  
*carolinus*, 276  
*formicivorus*, 178  
*uropygialis*, 178  
*Melanitta americana*, 258  
*deglandi*, 258  
*stejnegeri*, 99  
*Melanotis caerulescens*, 282  
*Melospiza lincolni*, 180  
*Melospiza crissalis*, 180  
*Mimus polyglottos*, 179  
*Mniotilta varia*, 180  
Mockingbird, Blue, 282  
Northern, 179  
*Molothrus ater*, 144–147, 180  
*monoensis*, *Passerella iliaca*, 117–132  
*Monticola saxatilis*, 107–108  
*Motacilla citreola*, 108  
Mountain-Gem, Amethyst-throated, 260  
Blue-throated, 260–261  
Murrelet, Ancient, 268  
Guadalupe, 75–82  
Muusse, Mars, *see* Adriaens, P.  
*Mycteria americana*, 272  
Myers, Luc, *see* Wilcox, J. T.  
*Myiarchus cinerascens*, 178  
*Myiodynastes luteiventris*, 278  
*nataliae*, *Turdus philomelos*, 106–107  
Nguyen, Lana, *see* Ryan, T. P.  
Night-Heron, Yellow-crowned, 273  
Nightingale-Thrush, Orange-billed,  
282–283  
*nigricans*, *Branta bernicla*, 257  
*nivosus*, *Charadrius nivosus*, 44–64, 100  
*Numenius americanus*, 196–207  
*phaeopus*, 264  
Nuthatch, Pygmy, 179  
Red-breasted, 148–152  
White-breasted, 179  
*Nyctanassa violacea*, 273  
*Oenanthe oenanthe*, 285  
*olivacea*, *Passerella iliaca*, 117–132  
*Onychoprion fuscatus*, 270  
*Oreortyx pictus*, 178  
Oriole, Baltimore, 289–290  
Bullock's, 180  
Hooded, 180  
Scott's, 180

# INDEX

- Streak-backed, 289
- Owl, Barn, 178
  - Barred, 276
  - Burrowing, 196–207
  - Eastern Screech-, 275–276
  - Great Horned, 178
  - Northern Saw-whet, 178
  - Short-eared, 196–207
  - Western Screech-, 178
- Pandolfino, Edward R., Douglas, Lily A., and Pyle, Peter, Vocalizations and Bill Measurements May Resolve Some Questions about Taxonomic Relationships within the Fox Sparrow Complex, 117–132
- Parker, Michael W., *see* Whitworth, D. L.
- Parkesia motacilla*, 290
- Parula, Tropical, 292
- Passer domesticus*, 179
- Passerculus sandwichensis*, 196–207
- Passerella iliaca*, 117–132, 180
- Passerina amoena*, 180
- Petrel, Ainley's Storm-, 133–143
  - Murphy's, 111–112
- Petrochelidon pyrrhonota*, 179
- Peucaea carpalis*, 286
  - cassinii*, 196–207
- Pewee, Eastern Wood-, 279
  - Western Wood-, 178
- Phainopepla, 179
  - Phainopepla nitens*, 179
- Phalaenoptilus nuttallii*, 178
- Phalarope, Red, 267
- Phalaropus fulicarius*, 267
- Pheucticus chrysopleus*, 296
  - melanocephalus*, 180
- philomelos*, *Turdus philomelos*, 106–107
- Phoebe, Black, 178, 317–319
  - Say's, 179
- Phylloscopus trochilus*, 104–105
- Pica nuttalli*, 301–308
- Pigeon, Rock, 178
- Pipilo chlorurus*, 180
  - erythrophthalmus*, 289
  - erythrophthalmus* × *maculatus*, 289
  - maculatus*, 180
- Pipit, American, 196–207
- Piranga ludoviciana*, 180
  - olivacea*, 295–296
- Pitangus sulphuratus*, 278
- Platalea ajaja*, 274
- Plauzoles, Lucien, *see* Ryan, T. P.
- Plectrophenax nivalis*, 286
- Plegadis falcinellus*, 274
- Plover, American Golden-, 263–264
  - European Golden-, 263
  - Mountain, 196–207
  - Piping, 264
  - Snowy, 44–64, 100
- Pluvialis apricaria*, 263
  - dominica*, 263–264
- Podiceps grisegena*, 259
- Poecile gambeli*, 179
- Poliophtila caerulea*, 179
  - californica*, 179
  - nigriceps*, 282
- Poecetes gramineus*, 196–207
- Poorwill, Common, 178
- Porphyrio martinicus*, 263
- Prairie-Chicken, Greater, 196–207
- Progne subis*, 179
- Psaltirparus minimus*, 179
- Pterodroma ultima*, 111–112
- purpureus*, *Haemorhous purpureus*, 285–286
- Pyle, Peter, *see* Pandolfino, E. R., and *see* Sieburth, D. E.
- Pyrrhuloxia, 180
- Quail, California, 178
  - Mountain, 178
  - Scaled, 196–207
- Quetzal, Eared, 276
- Quezada, Giovanni S., *see* Sowa, S. L.
- Rail, Black, 263
  - King, 263
  - King/Clapper, 263
  - Ridgway's, 263
  - Rufous-necked Wood-, 261
- Rallus crepitans*, 263
  - elegans*, 263
  - obsoletus*, 263
  - (sp.), 263
- Raven, Chihuahuan, 196–207
  - Common, 179
- Redpoll, Common, 286
- Rhynchophanes mccownii*, 196–207
- Rissa tridactyla*, 268
- Roadrunner, Greater, 178
- Robin, American, 179
  - Rufous-backed, 284
- Rock-Thrush, Rufous-tailed, 107–108
- Rubythroat, Siberian, 309–312
- Ruff, 265
- rufinus*, *Buteo rufinus*, 103
- Ruiz-Campos, Gorgonio, de León-Girón,

# INDEX

- Gonzalo, Gaona-Melo, Tonatiuh, Marrón, Gerardo, Unitt, Philip, and Hargrove, Lori, The Northernmost Record of the Least Grebe (*Tachybaptus dominicus bangsi*) in Baja California, 87–90; and *see* Hargrove, L.
- Ryan, Thomas P., Vigallon, Stacey, Griswold, Ross, Plauzoles, Lucien, Egger, Cheryl, Sheakley, Susan, Nguyen, Lana, and Schallman, Robert, Status of the Western Snowy Plover in Coastal Los Angeles and Orange Counties, California, 44–64
- Rynchops niger*, 272
- Salpinctes obsoletus*, 179
- Sandpiper, Buff-breasted, 265–266
- Sharp-tailed, 265
- Solitary, 215–226
- Spotted, 215–226
- Upland, 196–207
- Sapsucker, Red-breasted, 276
- Williamson's, 178
- Saucerottia beryllina*, 261
- Saxicola maurus*, 107
- Sayornis nigricans*, 178, 317–319
- saya*, 179
- Schallman, Robert, *see* Ryan, T. P.
- Scher, Robert L., *see* Gibson, D. D.
- schistacea*, *Passerella iliaca*, 117–132
- Scolopax minor*, 267
- Scoter, Black, 258
- Stejneger's, 99
- White-winged, 258
- Scott, Brigitte K., *see* Sowa, S. L.
- Screech-Owl, Eastern, 275–276
- Western, 178
- Scrub-Jay, California, 179
- Selasphorus rufus*, 178
- sasin*, 261
- senNETTI*, *Baeolophus atricristatus*, 281
- Setophaga castanea*, 110, 292–293
- cerulea*, 292
- coronata*, 180
- discolor*, 295
- dominica*, 294–295
- fusca*, 110, 293
- magnolia*, 292
- nigrescens*, 110–111, 180
- occidentalis*, 180
- palmarum*, 294
- petechia*, 144–147, 180
- pinus*, 294
- pitiayumi*, 292
- striata*, 293–294
- tigrina*, 292
- townsendi*, 180
- virens*, 295
- Sheakley, Susan, *see* Ryan, T. P.
- Shearwater, Wedge-tailed, 102–103
- Shrike, Loggerhead, 179, 196–207
- Red-backed, 103–104
- Sialia currucoides*, 196–207
- mexicana*, 179
- Sieburth, Desmond E., Terrill, Ryan, and Pyle, Peter, The Potential Identification and Distribution of Ainley's Storm-Petrel at Sea by Timing of Molt, 133–143
- Siskin, Pine, 179
- Sitta canadensis*, 148–152
- carolinensis*, 179
- pygmaea*, 179
- Skimmer, Black, 272
- Sogge, Mark K., First Report of Intentional Seed-Eating by Black Phoebe, 317–319
- Sousa, Paul, *see* Castañeda, X.
- Sowa, Sierra L., Luong, Yvonne, Quezada, Giovanni S., Scott, Brigitte K., and Castillo Vardaro, Jessica A., First Record of a Siberian Rubythroat (*Calliope calliope*) in the Conterminous United States, 309–312
- Sparrow, Bell's, 180
- Back-chinned, 179
- Black-throated, 179
- Brewer's, 179, 215–226
- Cassin's, 196–207
- Chipping, 179
- Clay-colored, 215–226
- Fox, 117–132, 180
- Grasshopper, 196–207
- Harris's, 196–207
- House, 179
- Lark, 179, 196–207
- LeConte's, 109, 289
- Lincoln's, 180
- Nelson's, 289
- Rufous-crowned, 180
- Rufous-winged, 286
- Savannah, 196–207
- Vesper, 196–207
- White-crowned, 180, 215–226
- Sphyrapicus ruber*, 276
- thyroideus*, 178
- Spinus lawrencei*, 179, 286
- pinus*, 179
- psaltria*, 179

# INDEX

- Spiza americana*, 196–207  
*Spizella atrogularis*, 179  
     *breweri*, 179, 215–226  
     *pallida*, 215–226  
     *passerina*, 179  
 Spoonbill, Roseate, 274  
 Starling, European, 179  
*stejnegeri*, *Saxicola maurus*, 107  
*Stelgidopteryx serripennis*, 179  
*stephensi*, *Passerella iliaca*, 117–132  
*Stercorarius longicaudus*, 267  
     *parasiticus*, 267  
     *pomarinus*, 267  
     (sp.), 268  
*Sterna paradisaea*, 270  
*Sternula antillarum*, 101  
 Stone, Kate, *see* Mathers-Winn, C.  
 Stonechat, Asian, 107  
 Stork, Wood, 272  
 Storm-Petrel, Ainley's, 133–143  
*Streptopelia decaocto*, 178  
*Strix varia*, 276  
*Sturnella neglecta*, 180  
*Sturnus vulgaris*, 179  
*Sula leucogaster*, 272  
     *neboxii*, 272  
 Swallow, Cliff, 179  
     Northern Rough-winged, 179  
     Violet-green, 179  
 Swan, Trumpeter, 257  
 Swarth, Christopher W., Book Review:  
     *Rogue Birder: The Making of a Modern*  
     *Ornithologist*, 91–92  
*swarthy*, *Passerella iliaca*, 117–132  
 Swift, Vaux's, 260  
     White-throated, 178  
*Synthliboramphus antiquus*, 268  
     *hypoleucus*, 75–82  
  
*Tachybaptus dominicus*, 87–90, 178  
*Tachycineta thalassina*, 179  
 Tanager, Scarlet, 295–296  
     Western, 180  
 Tattoni, D. Julian, An Eccentric Preforma-  
     tive Molt with Incomplete Replace-  
     ment of Primary Coverts in a Dark-  
     eyed Junco, 248–251  
 Tavernia, Brian G., Patch Area Cannot  
     Predict Species Richness of Grassland  
     Birds in Colorado's Front Range,  
     196–207  
 Tern, Arctic, 270  
     Elegant, 270–272  
     Least, 101  
     Royal, 270  
     Sandwich, 101–102  
     Sooty, 270  
 Terrill, Ryan, *see* Sieburth, D. E.  
*Thalasseus elegans*, 270–272  
     *maximus*, 270  
     *sandvicensis*, 101–102  
*thayeri*, *Larus glaucoideus*, 270  
 Thrasher, California, 179  
     Gray, 179  
     Long-billed, 282  
 Thrush, Gray-cheeked, 284  
     Hermit, 179  
     Naumann's, 106  
     Orange-billed Nightingale-, 282–283  
     Rufous-tailed Rock-, 107–108  
     Song, 106–107  
     Varied, 285  
     Wood, 284  
*Thryomanes bewickii*, 179  
 Tietz, James R., *see* Clements, N. M.  
 Titmouse, Black-crested, 281  
     Juniper, 281  
     Oak, 179  
     Tufted, 281  
 Tobish, Theodore G. Jr., *see* Gibson, D. D.  
 Towhee, California, 180  
     Eastern, 289  
     Green-tailed, 180  
     Spotted, 180  
*Toxostoma cinereum*, 179  
     *longirostre*, 282  
     *redivivum*, 179  
*Tringa solitaria*, 215–226  
*trochilus*, *Phylloscopus trochilus*, 104–105  
*Troglodytes aedon*, 179  
     *pacificus*, 282  
 Trogon, Elegant, 276  
*Trogon elegans*, 276  
*Turdus migratorius*, 179  
     *naumanni*, 106  
     *philomelos*, 106–107  
     *rufopalliatu*s, 284  
 Turnstone, Black, 265  
     Ruddy, 264  
*Tympanuchus cupido*, 196–207  
     *phasianellus*, 196–207  
*Tyrannus couchii*, 279  
     *forficatus*, 196–207  
     *melancholicus*, 83–86, 279  
     *melancholicus/couchii*, 279  
     *tyrannus*, 196–207  
     *verticalis*, 178, 196–207  
*Tyto alba*, 178



# INDEX

- unalaschcensis*, *Passerella iliaca*, 117–132  
 Unitt, Philip, *see* Hargrove, L., and *see* Ruiz-C., G.
- Veery, 284  
 Verdin, 179  
*Vermivora chrysoptera*, 290–291  
*cyanoptera*, 291  
 Vigallon, Stacey, *see* Ryan, T. P.  
 Vireo, Black-capped, 280  
   Cassin's, 179  
   Gray, 162–180  
   Hutton's, 179  
   Philadelphia, 280  
   Warbling, 179  
   White-eyed, 280  
   Yellow-green, 280  
*Vireo atricapilla*, 280  
   *cassinii*, 179  
   *flavoviridis*, 280  
   *gilvus*, 179  
   *griseus*, 280  
   *huttoni*, 179  
   *philadelphicus*, 280  
   *vicinior*, 162–180  
 Vulture, Black, 274  
   Turkey, 178
- Wagtail, Citrine, 108  
 Warbler, Bay-breasted, 110, 292–293  
   Black-and-white, 180  
   Blackburnian, 110, 293  
   Blackpoll, 293–294  
   Black-throated Gray, 110–111, 180  
   Black-throated Green, 295  
   Blue-winged, 291  
   Canada, 295  
   Cape May, 292  
   Cerulean, 292  
   Golden-winged, 290–291  
   Hermit, 180  
   Icterine, 104  
   Kentucky, 292  
   Lucy's, 110  
   Magnolia, 292  
   Mangrove, 144–147  
   Mourning, 291–292  
   Orange-crowned, 180  
   Pallas's Grasshopper, 104  
   Palm, 294  
   Pine, 294  
   Prairie, 295  
   Swainson's, 291  
   Tennessee, 291
- Townsend's 180  
 Willow, 104–105  
 Wilson's, 180  
 Worm-eating, 290  
 Yellow, 144–147, 180  
 Yellow-rumped, 180  
 Yellow-throated, 294–295  
 Waterthrush, Louisiana, 290  
 Wheatear, Northern, 285  
 Whimbrel, 264  
 Whip-poor-will, Eastern, 259–260  
 Whistling-Duck, Black-bellied, 257  
   Fulvous, 257  
 Whitworth, Darrell L., Parker, Michael  
   W., Howard, James A., Mazurkiewicz,  
   David M., and Carter, Harry R.,  
   Breeding of the Guadalupe Murrelet in  
   Southern California, 75–82  
 Wigeon, American, 66–71  
   Eurasian, 65–74, 257–258  
 Wilcox, Jeffery T., Myers, Luc, Jackson, Ian,  
   and Alvarez, Jeff A., Apparent Object  
   Play in the Northern Harrier, 153–156  
 Williams, Sartor O. III, and Baumann,  
   Matthew J., Seventh Report of the  
   New Mexico Bird Records Committee,  
   254–300  
 Withrow, Jack J., Eurasian Wigeon Breed  
   in the Aleutian Islands, Alaska, 65–74;  
   and *see* Gibson, D. D.  
 Woodcock, American, 267  
 Woodpecker, Acorn, 178  
   Gila, 178  
   Golden-fronted, 276  
   Hairy, 178  
   Ladder-backed, 178  
   Nuttall's, 178  
   Red-bellied, 276  
 Wood-Pewee, Eastern, 279  
   Western, 178  
 Wood-Rail, Rufous-necked, 261  
 Wren, Bewick's, 179  
   Cactus, 179  
   Canyon, 179  
   House, 179  
   Pacific, 282  
   Rock, 179  
   Sedge, 282  
 Wren tit, 179
- Zenaida asiatica*, 178  
   *macroura*, 178  
*Zonotrichia leucophrys*, 180, 215–226  
   *querula*, 196–207